RECEIVED

MAY 09 1985





May 3, 1985

State of Utah Dept. of Oil, Gas & Mining 4241 State Office Bldg. Salt Lake City, Utah 84114

Gentlemen:

Enclosed please find one copy of the APD for the following well:

Ute Tribal 3-8 Section 8, T5S-R3W Duchesne County, Utah

Please let us know if you find you have any questions regarding this Application. Thank you for your consideration.

Very truly yours,

R. L. Martin Vice President

Oil & Gas Operations

RLM:kr

Attachments

Conditions of approval, if any:

E OF UTAH NATURAL RESOURCES




DEPARTMENT DIVISION OF OIL, GAS, AND MINING 5. Lease Designation and Serial No. 14-20-H62-3507 6. If Indian, Allottee or Tribe Name APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK <u>Ute Tribe</u> la. Type of Work 7. Unit Agreement Name DRILL 🔯 DEEPEN | PLUG BACK b. Type of Well Oil XX Multiple 8. Farm or Lease Name Single Zone Gas Well XX Other 2. Name of Operator Ute Tribal 9. Weil No. (303) 278-7030 Coors Energy Company 3-8 3. Address of Operator PO Box 467, Golden, Colorado 80402

1. Location of Well (Report location clearly and in accordance with any State requirements.*)
At surface 505. 10. Field and Pool, or Wildcat ✓ Antelope Creek 11. Sec., T., R., M., or Blk. and Survey or Area 505 FNL, 1439 FWL, NE/4NW/4 RECEIVED At proposed prod. zone Sec. 8, T5S-R3W same 12. County or Parrish 14. Distance in miles and direction from nearest town or post office 13. State MAY 09 1985 Duchesne Utah approximately 7 miles south of Bridgeland 15. Distance from proposed*
location to nearest
property or lease line, ft 16. No. of acres in lease 17. No. of acres assigned to this well 533,333 N UF OIL 505**'** (Also to nearest drig. line, if any) Distance from proposed location^a to nearest well, drilling, completed, or applied for, on this lease, ft. 19. Propoguja Spo 20. Rotary or cable tools 6051 6464 rotary 22. Approx. date work will start* 21. Elevations (Show whether DF, RT, GR, etc.) 5869 GL July, 1985 23 PROPOSED CASING AND CEMENTING PROGRAM Size of Hole Size of Casing Weight per Foot Setting Depth Quantity of Cement 12-1/4" 8-5/8" 24,00# 400**'** 7-7/8'' 15.50# 5**-**1/2" 6464 1200 sx. This well will be spudded in the Uintah Formation. Estimated formation tops (Green River) 1270'. Water zones are possible thruout the Green River formation as well as gas and or oil. No aquifers or other mineral zones are anticipated. Attached is a diagram of the pressure control device to be used on this well. The proposed circulating medium will be 3% KCL water or a low-solids non-dispersed mud. Mud weights in excess of 10#/gal are not anticipated. Auxiliary equipment: float will be run in the drill string. A full opening valve to fit the drill string will be on the rig floor at all times. Kelly cock valves will be used. No coring is planned, drill stem tests may be run in potential pay zones. Logs to be run will be: DIL, CNL, CBL. No abnormal temperatures, pressures or potential hazards are expected. Anticipated starting date: July, 1985; duration of drilling operations: IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any. Title V.P. O/G Operations R. J. Martin
(This space for Federal or State office use) AAPPROVED BY THE STATE Permit No... OF UTAH DIVISION OF Title. Approved by.....

ОЦ, GAS, AND MINING Ce *See Instructions Wn/Reverse SideING:

T5S , R3W , U.S.B. &M.



X = Section Corners Located

PROJECT

COORS ENERGY CO.

Well location, UTE TRIBAL #3-8. located as shown in the NE1/4 NW 1/4 Section 8, T5S, R3W, U.S.B. & M. Duchesne County, Utah.




THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.


> REGISTERED LAND SURVEYOR REGISTRATION Nº 3137 STATE OF UTAH


> > COORS

UINTAH ENGINEERING & LAND SURVEYING P. O. BOX Q - 85 SOUTH - 200 EAST

VERNAL, UTAH - 84078 SCALE DATE 1" = 1000 12/21/84 PARTY REFERENCES DB JK GLO Plat WEATHER FILE FAIR







MULTIPOINT SURFACE USE PLAN
COORS ENERGY COMPANY
UTE TRIBAL 3-8
SECTION 8, T5S-R3W, NE/4NW/4
DUCHESNE COUNTY, UTAH

Coors Energy Company will assure that this APD will be posted in the doghouse of the drilling rig during the drilling of this well. Also, a sign will be posted at the entrance to the location with the name of the well, operator and location description. We will notify the BLM in Vernal, Utah 48 hours prior to beginning any work on this land. Prior to starting surface construction operations, the dirt contractor shall have a completed approved copy of this APD.

1. EXISTING ROADS - See Exhibits C, D, & F

Access to Coors Ute Tribal #3-8 begins at the City of Roosevelt, Utah, and proceeds along the following roads with approximate mileages as indicated:

Proceed westerly out of Roosevelt, Utah on U.S. Highway 40; proceed along said Highway 17.3 miles to the Junction of Highway 40 and the Bridgeland Utah Exit; proceed south along the improved County Road 6.4 miles down to the Junction of this road and an existing unimproved dirt road to the southeast; proceed southeasterly along this road approx. 1.25 miles to the property access road to the east.

Road maintenance from the Antelope Canyon main road to the well will be provided by a Coors Energy Company subcontractor. Maintenance will consist of periodic grading and repairs to the surface. During summer months, a watering program will be used to control dust. Rain and other inclement weather may require repairs to turnouts, waterbars, etc.

Materials for upgrading the existing road will come from the immediate area of road improvement work or will be hauled by a subcontractor from Duchesne as needed.

Upgraded existing roads will be constructed with an 18' road surface with bar ditches and water bars where required. Not over 30' will be cleared to upgrade any existing roads.

Page 2
Multipoint Surface Use Plan
Ute Tribal 3-8

2. PLANNED ACCESS ROAD - See Exhibits B, D

The proposed access road will be 900'. This proposed access road will be an 18' crowned road (9' either side of the centerline) with a drain ditch on the uphill side of the road which will handle any run off from normal meteorological conditions that are prevalent to the area. Back slopes along the cut areas of the road will be 1] to 1 slopes and terraced where cuts are needed. There are no fences encountered along the proposed access road. Not over 30' will be cleared for new access roads. Divert north drainage with a trench and buildup and fill in drainage on the west side w/topsoil.

Any trees cut during construction of the well pad which have a diameter exceeding 4", will be cut into 4' lengths and stacked along the road right of way. Any brush or trees less than 4" in diameter will be scattered off road right of way and located in an orderly fashion as ground cover. No firewood gathering will be allowed without a duly granted wood permit.

3. LOCATION OF EXISTING WELLS - See Exhibit G

With a 2-mile radius of this proposed well, there are no drilling wells. There is one P&A well:

Ute Tribal B-1 operated by Amerada Petroleum Corp.

There are several producing wells:

Ute Tribal 1-3, 1-4, 3-4, 4-4, 1-5, 2-5, 1-6, 2-7, 3-7, 1-7, 1-8, 2-8, 1-10, 1-17, 1-20, 1-18, 2-18, all operated by Coors Energy Company. See Exhibit G.

There is one SI wells:

Ute Tribal 2-4, operated by Coors Energy Company.

There is one proposed well:

Ute Tribal 2-6, proposed by Coors Energy Company.

With the exception of the above mentioned wells, there are no:

- a) known water wells
- b) temporarily abandoned wells
- c) disposal wells, proposed Ute Tribal 2-4
- d) injection wells
- e) monitoring or observation wells

A field survey was made by Uintah Engineering and Land Surveying for Coors Energy and no water wells were found within a 2-mile radius.

Page 3
Multipoint Surface Use Plan
Ute Tribal 3-8

4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES - See Exhibits B & E

Coors Energy Company's facilities in this area will consist of a pump jack and line heater. The separator and tanks will be located on the Ute 1-8 wellpad. A 3" flowline will be laid from the Ute 3-8 to the Ute 1-8 as per the attached Exhibit E paralleling the access road. Approval of production facilities is desired with APD approval for the Ute Tribal 3-8. All production facilities will be painted in earth colors such as Desert Tan within one month of when they are put in place. If the production facilities are among trees, they will be painted Juniper Green.

Coors Energy Company contacted Mr. Dale Workman at the Utah State University Extension Office at (801) 738-2080 regarding weed control on the wellsite and along access roads. We were informed that the following weeds are prevalent to this area: Nap Weed, White Top, Quack Grass, Canadian Thistle, Musk Thistle, Leafy Spury, Russian Olive Tree and Morning Glory. We will follow their recommended procedure and spray with the suggested chemicals to control noxious weeds in these areas.

For drilling operations, a survey map (Exhibit B) showing rig layout is attached. All necessary surface equipment will be spotted on the 230' x 350' wellsite pad.

All garbage and trash will be placed in a trash cage and hauled to an appropriate disposal site. No burning of any trash will occur at the location. Any disturbed area not required for producing operations will be restored according to BLM instructions. The production facilities will create no additional surface disturbances. The drilling waste pit will be fenced on three sides with 36" woven sheep wire with two strands of barbed wire on top of the sheep wire. Upon completion of the drilling operations, the fourth side will be fenced. The reserve pit will be lined with clay or plastic to prevent seepage.

Trash, litter and construction materials will not be littered along road ways or drilling sites.

5. LOCATION AND TYPE OF WATER SUPPLY - See Exhibit I, D

The source of the water used to drill this well will be from Antelope Creek through Mr. Alton Moon who owns the water rights from the Creek. Approximately 6000 bbls of water will be required to drill and complete this well. Water will be hauled by Curry Leasing. See Exhibit I, State of Utah Permit to Divert Water. Water will be taken from Antelope Creek approximately 600' southwest of the intersection of Antelope Creek and Sowers Creek Road in the NE/4 of Section 6.

6. SOURCE OF CONSTRUCTION MATERIALS - See Exhibit B

The top 6" of topsoil will be removed from the well pad and stored on the west end of the location as shown on Exhibit "B". Fill materials needed to construct the location will be derived locally from cuts needed to build the well pad. Any artifacts found on Tribal lands will be left in place and the BIA promptly notified.

Page 4
Multipoint Surface Use Plan
Ute Tribal 3-8

7. METHODS FOR HANDLING WASTE DISPOSAL, See Exhibit B

A mud reserve pit will be constructed for containment of drill cuttings as well as all drilling fluids and produced fluids. Produced waste fluids will be contained in a pit constructed in a chemical-type toilet. All trash and garbage will be placed in a trash cage and hauled from the location to an appropriate disposal site. The pit will be fenced as per statements in Section 4.

During production operations, all produced waters will be disposed of according to NTL-2B stipulations.

The reserve pit will be lined with plastic. Prior to backfilling operations, it will be torn and perforated.

The reserve pit will be allowed to dry and then back-filled and the area restored according to BLM requirements upon completion of the well.

8. ANCILLARY FACILITIES

None will be required.

9. WELL SITE LAYOUT - See Exhibit B

Attached is a diagram showing the proposed wellsite layout.

10. PLANS FOR RESTORATION OF SURFACE - See Exhibit B

Surface vegetation scraped off during drill site preparation will be removed and stock-piled prior to topsoil removal. Upon abandonment, vegetation will be redistributed as a mulching agent over the well site. The top 6" of topsoil will be stock-piled on the west side of the well site as shown on Exhibit "B".

The reserve pit and that part of the location not needed for production operations will be reclaimed within one year after completion of the well weather permitting.

The original surface will be reconstructed as close as possible upon abandonment. The stock-piled topsoil will be spread over the area. Any solid waste material present prior to abandonment will be removed from the location. Any oil or deleterious liquids will be removed by a pump truck to an approved disposal area.

Before any dirt work to restore the location takes place, the reserve pit will be completely dry and all trash will be removed. The access road will also be blocked during restoration. Prior to reseeding, all disturbed areas, including the access road will be scarified and left with a rough surface. The reserve pit and that part of the location not needed for production will be reclaimed in the same manner outlined in this section. The rehabilitated access road will be blocked to prevent any vehicle use.

Page 5
Multipoint Surface Use Plan
Ute Tribal 3-8

The topsoil will be tested

The topsoil will be tested to determine if fertilizer is needed to re-establish vegetation. After spreading the stock-piled topsoil, the BIA will be notified and seeding will be done according to their specifications.

If any cultural resources are found during construction, all work will stop and the BLM will be notified.

Coors will notify the BIA and the BLM 48 hours prior to starting rehabilitation procedures.

11. OTHER INFORMATION - See Exhibits H, J, L, M & N

The Ute Tribal 3-8 is located approximately 7 miles south of Bridgeland, Utah on the Uintah and Ouray Indian Reservation. The area is covered with native sagebrush. No wildlife was observed on the location.

There are no occupied dwellings within approximately 3-1/2 miles of the well site. An archeological report is attached, (See Exhibit "J"). Since this well is on the Uintah and Ouray Indian Reservation, Coors will work closely with Ute Tribal representatives to ensure all Tribal requirements for drilling and production operations of this well are followed.

It is Coors Energy Company's policy that no Coors' employees nor subcontractors carry firearms on access roads nor onto the location during drilling or well completion operations of this well. No alcoholic beverages or drugs will be permitted on Coors' operations on Indian lands. No prospecting will be allowed on Coors' operations.

Attached is a copy of the Designation of Operator, (See Exhibit "L") and a copy of the Ute Tribal Notice stating their requirements when traversing or operating on Ute Indian lands, (See Exhibit "M").

A copy of the BLM Stipulations is attached to the application, (See Exhibit "N") and our Special BOP Instructions, (See Exhibit "H").

All operators, subcontractors and vendors will be confined to established roads and wellsites.

12. CONTACT


R. L. Martin
Vice President
Oil & Gas Operations
Coors Energy Company
P.O. Box 467
Golden, Colorado 80402
Phone: (303) 278-7030


13. CERTIFICATION


See Exhibit "K"


SURFACE PRODUCTION FACILITIES

UTF TRIBAL 3-8










SPECIAL BOP INSTRUCTIONS



THE FOLLOWING CONSTITUTE MINIMUM BLOWOUT PREVENTER REQUIREMENTS

- A. One double gate blowout preventer with lower rams blind and upper rams for pipe, all hydraulically controlled, opening on preventers between rams.
- B. Opening to be flanged, studded or clamped and at least two inches diameter.
- C. All connections from operating manifold to preventers to be all steel hose or tube a minimum of one inch in diameter.
- D. The available closing pressure shall be at least 15% in excess of that required with sufficient volume to operate the preventers.
- E. All connections to and from preventers to have a pressure rating equivalent to that of the BOPs.
- F. Manual controls to be installed before drilling cement plug.
- G. Valve to control flow through drill pipe to be located on Rig floor.
- H. Choke may be either positive or adjustable.
 A choke spool may be used between preventers.
- I. Casinghead or bradenhead flange will be 10" API Series 900
- J. After each string of casing is run, BOP and casinghead will be tested to 1000 psi. Pipe ram operation will be checked every 24 hours & blind rams checked every trip.



P.O. BOX 467 GOLDEN, COLORADO 80401

WATER AGREEMENT

5/1/85

Coors Energy Company has an agreement with Curry Leasing in Utah to furnish and haul water from private sources owned by Mr. Alton Moon of Bridgeland, Utah, from Antelope Creek for the following wells:

Ute Tribal 2-3

Ute Tribal 3-8

Ute Tribal 3-9

Ute Tribal 3-18

Ute Tribal 4-18

Ute Tribal 6-4

all in T5S-R3W in Duchesne County, Utah.

Very truly yours, R 1 helms

R. L. Nelms

Petroleum Engineer

RLN:kr

to whom it may concern I Alton Moon will lit curys having use water out of Anditopis crille for the purpose of pulling oil well's for cooks knewly Moon

	- 1	•		٠	,	
	-		-		-	

	*					-			4	
•	ويسائطون			· · · · · .	- 1			•		
:	APPI	A CAP	THE STATE OF	TAKE .			11.		7 7 7	
٠.		The second second		THUS,				, ~ ~		
′	-			U . M. MANAGA.	11	**************************************	4.	7-0		4
	THE		5336	M AVE	244					

Application For Temporary Change of Point of Diversion, Place or Purpose of Use STATE OF UTAH

(To Be Filed in Deplicate)

: For the p	purpose of obtain	ning permisalan sa tempora	rily change the poin	of diversion, place or	purpose of sec
		which was acquired by	3-1688 (A994)	me dut militals matter and s	veded)
hat bering	fter described as	figure	No. of spelication, eigh	and date of Evere and A.	rood No 1
					ing showing of
		was to J. Willis Moon		Orven Moon	
		ing this application is CUP			
The past offe	or address of the	applicant is P. O. Bo	x 227. Altemon	t. Utah 84001	
			and the second s		
		PAST USE			
	* *	een used in accord fort is	1 5/7 cfs.		***************
		no been used in serv feet in	*****		***************************************
me mater ha	s been used each	year from Apr .]	4Der2 10	Sept. 31	
The water ba	m been stored soc	h year from		• Che	71
The disust on	urce of supply is	Antelope Draw	EDmo's 18	lood) (De Duchesne	y3
		nte ditch	Alch	located	County,
•	The State of the S	T4S.R3V.USBAN	······································	THE STATE OF THE S	.# ?! ?!
		P you are to the second	*** * * ** *** *** *** *** *** *** *** ***	***************	*************
The market day	wheel has been a	sed for the following purpos	irrigation	*************************	***************
	1.1	er the rise tornousing british	- ALEKTELLEREN	*****************	
*** **** ** ** ** ***		*** *** * * * * * * *** * * * * * * * *		*****	
E If for inter-	tick, give kepit solid.	risions of hand and latel serves	which has been brigate	of M for other purpose, go	## ##
				of Mar ather purpose, go	*****
The quantity	y of water to be a	changed in sere-feet is	18,0	***************************************	
The quantity	y of water to be a	changed in sere-free is	18.0	of M for stars purpose, go	
The quantity	y of water to be a	changed in sere-feet is	18.0	***************************************	
The quantity The water w 2640 ft	y of water to be a vill be diversed in the from SH C	changed in scro-foot la to thetank trucks or. Sec. 6, T55.R3	18.0 disch st s p W.USBSM	oint located . North	2640 ft. Ea
The quantity The water w 2640 ft	y of water to be e rill be diverted in from Sti C	changed in serv-foot is	18.0 disch at a p W.USBSM 10.85	oint located . North .	2640 ft. Ea
The quantity The water w 2640 ft	y of water to be a vill be diverted in the from Sid C	changed in serv-foot is	18.0 disch at a p W.USBSM 10.85 to Firsted warst ant second i	Apr. 30	2640 ft. Ee
The quantity The water w 2640 ft	y of water to be a vill be diverted in the from Sid C	changed in serv-foot is	18.0 disch at a p W.USBSM 10.85 to Firsted warst ant second i	Apr. 30	2640 ft. Ee
The quantity The water w 2640 ft The change	y of water to be a vill be diverted in a from Sid C will be made from for the change a	changed in serv-foot is	18.0 disch at a p W.USBSM 10.85 Torind want ant records for 011 well	Apr. 30	2640 ft. Ee
The quantity The water w 2640 ft The change The change Work	y of water to be a rill be diverted in a from Sid C will be made from a far the change a nvolved bersin h	changed in sere-less is. to the tank trucks or. Sec. 6, T55,R3 Apr. 30 Water to be used so herecofore born tempere	18.0 disch at a p W.USBSM 19.85 to Prefed west ant exceed a for 011 well srily charged	Apr. 30 Mer years drilling, compl	2640 ft. Ea 19 86 etion & ser
The quantity The water w 2640 ft The change The change Work	y of water to be a rill be diverted in a from Sid C will be made from a far the change a nvolved bersin h	changed in sere-less is. to the tank trucks or. Sec. 6, T55,R3 Apr. 30 Water to be used so herecofore born tempere	18.0 disch at a p W.USBSM 19.85 to Prefed west ant exceed a for 011 well srily charged	Apr. 30 Mer years drilling, compl	2640 ft. Ea 19 86 etion & ser
The quantity The water w 2640 ft The change The transma WOrk The water it	y of water to be a vill be diverted in the from Sid C will be made from for the change a nvolved herein h	changed in sere-free is	18.0 disch at a p W.USBSM 10.85 Fortod west ant records for 011 well arily charged List practs change has be one: (See #15) 0	Apr. 30 Mayours drilling, complete our model	2640 ft. Each 19 86 etion & ser
The quentity The water w 2640 ft The change The teasons work The water is	y of water to be a rill be diverted in . from Sti C. will be made from the charge a nvolved herein h	changed in scre-feet is to the tank trucks or. Sec. 6, T55.R3 Apr. 30 Apr. 30 Water to be used so herecofore born temperatured for the following purp Tribal 4-18, Ute T	18.0 disch at a p W.USBSM 19.85 to Period want ant exceed for 011 well arily charged List praise change has be (See #15) C rihal 3-9. Uta 10-15-16-17-18	Apr. 30 Apr	2640 ft. Each 19, 86 etion & serio this application of this application of the serio this applic
The quantity The water w 2640 ft The change The teasons work The water is	y of water to be a rill be diverted in . from Sti C. will be made from the charge a nvolved herein h	changed in sere-level is. to the tank trucks or. Sec. 6, T5S.R3 Apr. 30 Apr. 30 Water to be used see herecofore born tempere used for the following purp Tribal 4-18, Ute T 1075 3-4-5-6-7-8-9-	disch at a p W.USBSM 10 85 to Forbod west ant record of for 011 well writy charged List years change has be coe: (See VIS) C r that 3-9 Ute 10-15-16-17-18	Apr. 30 Apr	2640 ft. Each 19, 86 etion & serio this application of this application of the serio this applic
The quantity The water w 2640 ft The change The change Work The water in	y of water to be a rill be diverted in . from Sti C will be made from for the change a nvolved barein h involved in to be 1 3-18, Ute 5 R3W; Sec ti getion, give legal ac	changed in sere-foot is	18.0 disch at a p W.USB&M 19.85 Torind want ant records for 0.11 well willy charged List yours change has be cose: (See V15) C T hal 3-9. Uta 10-15-16-17-18 Id. If for other perspeces. NATORY	Apr. 30 Tiling, complete to season person to season person to season person to season person at season person person at season person at season person at season person pe	2640 ft. Each 19, 86 etion & serio this application of this application of the serio this applic
The quantity The water w 2640 ft The change The teasons work The water is	y of water to be a vill be diverted in i. from Sid C. will be made from a far the change a nvolved bersin he is a voived in to be 1 3-18, Uto 5 RSW; Section give legal as	changed in sere-feet is	18.0 disch at a p V.USBAN 18 85 to 85 for oil well stily charged List prote charge has be cos: (See #15) C Tibal 3-9. Uts 10-15-16-17-18 MATORY	Apr. 30 Me year) drilling, complete to made? cors Energy: Ut. Tribal 3-8. Ut. Tribal 3-8. Ut. Tribal 3-8. Ut. Tribal 3-8. Ut.	2640 ft. Each 19 86 etion & ser othir application e Tribal 6- e Tribal 2- 30-31-32-3
The quantity The water w 2640 ft The change The change The teasons work The water it to Tribal II in TS	y of water to be a vill be diverted in a from Sid C will be made from the change a nvolved bersin he is to be 1 3-18. Uto 5, R3W, Sec C1 getien, give legal as	changed in sere-leve is to the tank trucks or. Sec. 6, T5S,R3 Apr. 30 Apr. 30 Water to be used se herecofore born tempere read for the following purp Tribal 4-18, Ute T 10715 3-4-5-6-7-8-9- shoticismus of land to be intense EXPLA	18.0 disch at a p W.USBSM 19.85 19.85 Torkel want ant record of for 011 well writy charged List years change has be cos: (See V15) C r that 3-9 Uts 10-15-16-17-18 id. If for other paracone NATORY	Apr. 30 Apr. 30 Mayour: drilling, complete our stade; oors Energy: Ut Tibal 3-8, Ut -19-20-21-28-29 Tatal gives biase and purpose at	2640 ft. Each 19, 86 etion & ser other specification for the specification of the Tribal 6-230-31-32-3
The quantity The water w 2640 ft The change The change The teasons work The water it to Tribal II in TS	y of water to be a vill be diverted in a from Sid C will be made from the change a nvolved bersin he is to be 1 3-18. Uto 5, R3W, Sec C1 getien, give legal as	changed in sere-feet is	18.0 disch at a p W.USBSM 19.85 19.85 Torkel want ant record of for 011 well writy charged List years change has be cos: (See V15) C r that 3-9 Uts 10-15-16-17-18 id. If for other paracone NATORY	Apr. 30 Apr. 30 Mayour: drilling, complete our stade; oors Energy: Ut Tibal 3-8, Ut -19-20-21-28-29 Tatal gives biase and purpose at	2640 ft. Each 19, 86 etion & ser other specification for the specification of the Tribal 6-230-31-32-3

RULES AND REGULATIONS

(Read Carefully)

This application blank is to be used only for temporary change of point of diversion, place or nature of use for a definitely fixed period not to exceed one year. If a permanent change is desired, request proper application blanks from the State Engineer.

Application for temperary change must be filed in duplicate, accompanied by a fling fee of 27.20 Where the water affected to under supervision of a Water Commissioner, appointed by the State Engineer, time will be seved if the Application is filed with the Commissioner, who will premptly inventigate the proposed change and forward both superwith filing fee and his report to the State Engineer. Applications filed directly with the State Engineer will be maded to the Water Commissioner for investigation and report. If there he so Water Commissioner on the source, the Application must be filed with the State Engineer.

When the State Engineer finds that the change will not impair the rights of others he will authorize the change to be made. If he shall find, either by his own investigation or otherwise, that the change saught might impair entities ughts he shall give notice to persons whose rights might be affected and shall give them opportunity to be bessed before seting upon the Application. Such notice shall be given five days before the bearing citize by regular mail or by one publication in a newspaper. Before making an investigation or giving paties the State Engineer will require the applicant to deposit a sum of memory sufficient to pay the expenses threes?.

Address all communications to: State Engineer State Capital Building Salt Labo City, Utab

RTATE ENGINEER'S ENDORSEMENTS

0.0	and a second of the second of
	(Not to be filled to by applicant)
	Change Application No
	(Made of Commitment)
	Hocomencedation of Commissioner H/30/85 Application received tree security where Engineer's Office by
2	▲
	Pee for him application, \$7.50 received by
h in the section of the	

••••••	
***********	Fee for investigation \$ received by: Rec. No.
•••••••••	Fee for giving matice requested 8
*********	· · · · · · · · · · · · · · · · · · ·
-40420 60 0-410	
*********	Application approved for advertising by publication by
	Notice published in

**********	(Date Henries application protested by
	1
***********	Application recommended for rejection by
***********	change Application approved and returned to
**********	Change Application approved and returned to automorphism
THIS AF	PLICATION IS APPROVED SUBJECT TO THE FOLLOWING CONDITIONS:
•••••	
_	
p= 04 27 4 2 5	



ARCHEOLOGICAL - ENVIRONMENTAL RESEARCH CORPORATION

P.O. Box 853 Bountiful, Utah 84010 Tel: (801) 292-7061, 292-9668

April 10, 1985

Subject: Cultural Resource Evaluations of Six Proposed

Oil-Gas Well Locations in the Antelope Canyon

Locality of Duchesne County, Utah

Project: Coors Energy Company - Ute Tribal Units No.

2-3, 3-8, 3-18, 3-9, 4-18 and 6-4

Project No.: CEC-84-3

Permit: Utah State U-84-26-2561

To: Mr. James Simonton, Coors Energy Company, P.O. Box 460, Roosevelt, Utah 84066

Mr. Jamie Cuch, Ute Indian Tribe, Energy and Minerals Division, P.O. Box 190, Fort Duchesne, Utah 84026

Mr. Roland McCook, Bureau of Indian Affairs, Real Property Management, P.O. Box 190, Fort Duchesne, Utah 84026

Info: Mr. Blaine Phillips, Bureau of Land Management, 170 South 500 East, Vernal, Utah 84078

Antiquities Section, Division of State History, 300 Rio Grande, Salt Lake City, Utah 84101

GENERAL INFORMATION

On April 2 and 5, 1985, F. R. Hauck conducted intensive evaluations of six proposed oil-gas well locations and access roads for Coors Energy Company of Roosevelt, Utah. The evaluations were conducted during the on-site investigations and in company with Mr. Jamie Cuch of the Ute Tribe. These well locations are in the Antelope Canyon locality of Duchesne County and are located in the following sections of Township 5 South, Range 3 West:

Ute Tribal Unit No. 2-3 Section 3, SW1
Ute Tribal Unit No. 3-8 Section 8, NW1
Ute Tribal Unit No. 3-18 Section 18, SW1
Ute Tribal Unit No. 3-9 Section 9, SW1
Ute Tribal Unit No. 4-18 Section 18, NE1
Ute Tribal Unit No. 6-4 Section 4. SW1

With the exception of Unit 3-18, all the locations are in the saltbrush environments associated with the bottom or eastern ridge of Antelope Canyon. Unit 3-18 is in the pinyon-juniper ecozone located on the west ridge above Antelope Canyon.

Units 3-18 and 3-9 have long access routes which extend into other sections. The access into No. 3-9 begins at an existing location in the NET of Section 17 and goes to the northeast into Section 9 (see Map 1). Unit 3-18 was evaluated to include two prospective access routes. As Map 2 indicates, the primary access into this location begins at an Ironwood location in the SET of Section 13 and extends northward along the ridgetop then eastward into Section 18 to connect with the pad on the east-west ridge line. The secondary access route begins on the existing road in the NET of Section 24 in the bottom of a tributary canyon to Antelope Canyon. This route then ascends the north canyon wall going in a northeasterly direction until it connects with the well location.

A records check was conducted at the Antiquities Section of the Division of State History on 4-1-85 with negative results. Site 42 Dc 512 (AERC 832R/1) was known to be associated with the western end of the proposed access route into Unit 3-18. The National Register of Historic Places has been consulted and no registered properties will be affected by the proposed developments.

RESULTS


No new cultural resource loci were recorded during the various evaluations. Isolated primary flakes were observed at several points along the upper access route into Unit 3-18 but those artifacts are peripherally associated with Site 42 Dc 512. The upper access into Unit 3-18 was moved to the north to avoid that significant cultural site.


CONCLUSION AND RECOMMENDATIONS


AERC recommends that Coors Energy Company be granted a cultural resource clearance based upon adherence with the following stipulations:

- 1. All vehicular traffic, personnel movement, and construction should be confined to the locations examined and to the evaluated access roads.
- 2. All personnel should refrain from collecting artifacts or from disturbing any cultural resources in the area.
- 3. A qualified archeologist should be consulted should cultural remains from subsurface deposits be exposed during construction work or if the need arises to relocate or otherwise alter the construction area.

F. R. Hauck, Ph.D. Principal Investigator









CERTIFICATION BY OPERATOR'S FIELD REPRESENTATIVE

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access road; that I am familiar with the conditions that presently exist; that the statements made in this plan are, to the best of my knowledge, true, complete, and correct; and that the work associated with this plan will be carried on by Coors Energy Company, and its contractors and subcontractors, in conformity with the plan and the terms and conditions under which it is approved.

5-2-85

Date

R. L. Martin

Vice President, Oil & Gas Production

kr

SUPERVISOR, OIL AND GAS OPERATIONS:

DESIGNATION OF OPERATOR

The undersigned is, on the records of the U.S. Department of the Interior, Bureau of Indian Affairs

DISTRICT LAND OFFICE: The Ute Indian Tribe and the Ute Distribution Corporation Lease No. 14-20-H62

Tract No. 57

and hereby designates

NAME: Coors Energy Company

ADDRESS: P.O. Box 467, Golden, CO 80401

as his operator and local agent, with full authority to act in his behalf in complying with the terms of the lease and regulations applicable thereto and on whom the supervisor or his representative may serve written or oral instructions in securing compliance with the Oil and Gas Operating Regulations with respect to (describe acreage to which this designation is applicable):

Township 5 South, Range 3 West, U.S.M. Section 8: NW/4

It is understood that this designation of operator does not relieve the lessee of responsibility for compliance with the terms of the lease and the Oil and Gas Operating Regulations. It is also understood that this designation of operator does not constitute an assignment of any interest in the lease.

In case of default on the part of the designated operator, the lessee will make full and prompt compliance with all regulations, lease terms, or orders of the Secretary of the Interior or his representative.

The lessee agrees promptly to notify the oil and gas supervisor of any change in the designated operator.

GULF OIL CORPORATION

W. R. Wimbish (Signature of Attorney-in-Fact

P.O. Box 2619, Casper, WY 82602

(Address)

February 7, 1983

(Deta)





NOTICE

TO: All Well Operators, Lessees, Subcontractors, Vendors, and Affiliated Agents and Employees Thereof

When entering the Ute Reservation, the entering individual is coming into a sovereign nation separate and distinct from the State of Utah. As such, there are special requirements which must be complied with when traversing or operating on Ute Indian Lands.

- Trespass permits shall be obtained and carried with individual on tribal lands at all times:
- 2. All operators, subcontractors, vendors, and their employees or agents shall not carry firearms or other weapons.
- 3. All operators, subcontractors, vendors, and their employees or agents are confined to established roads and well sites. All litter must be removed from Ute Lands.
- 4. All operators, subcontractors, vendors, and their employees or agents may not gather firewood on Indian lands. Absent a duly granted "wood permit," such gathering is a criminal offense punishable in Federal court.
- 5. If water or fill materials are needed in constructing roads, well sites, or are used in the drilling process, proper permits are needed. Required information for permits includes: a) the approximate amount of water or materials needed; b) the location and ownership of the water rights or materials to be used and; g) the approximate amount of water or materials to be used.
- 6) All artifacts found while on Tribal lands shall be left in place and the Tribe promptly notified of the find.
 - 7) No prospecting will be allowed on Tribal lands.
- "8) No alcoholic beverages or drugs shall be permitted while working on the Reservation.

CONDITIONS OF APPROVAL FOR NOTICE TO DRILL WITHIN THE UINTAH CURAY RESERVATION

Compa	any _	Coor	PS EN	ERGY	ح ،	0.	Well No.	3-8	
Locat	tion	Sec.	8	کے .T	25	R. 3W	Lease No.	14-20-41 3507	62 62
Cnsi	te Ir	spection 1	Date	4-2	- 85		•	3507	
Ordei respo	No. onsib	.1, and the	e approved actions of the field i	icable lay d plan of of his sub	ws, rec operate econtra	gulations tions. T	, Onshore he operato A copy of	anner that fu Oil and Gas r is fully these condition	
	1.	Surface I	Formation a	and Estima	ated Fo	ormation '	Tops:	•	
			•	<u>.</u>		٠		-, -,	
				•				•	
									_
	2.	Estimated Zones are	Depth at Expected	Which Oil to be Enc	ounter	Water, ced:	or Other Mi	neral Bearing	
-		Expect Expect	ed oil zon ed gas zon ed water z ed mineral	es: ones:					
		depth and	water and site) enco adequately determine	untered di v protecti	oring (drilling,	will be r	as described lecorded by swill be	by
:	3.	Pressure (Control Equ	uipment:					
			٠.					•	•
		· ·		-					-
			No.			···································			-
	•								

BOP systems will be consistent with API RP53. Pressure tests will be conducted before drilling out from under casing strings which have been set and cemented in place. Blowout preventer controls will be installed prior to drilling the surface casing plug and will remain in use until the well is completed or abandoned. Preventers will be inspected and operated at least daily to ensure good mechanical working order, and this inspection will be recorded on the daily drilling report. Preventers will be pressure tested before drilling casing cement plugs.

The District Office should be notified, with sufficient lead time, in order to have a BLM representative on location during pressure testing.

	Program and Auxiliary Equipment:	
	·	*.
		•
		-, 1
should h	ted cement tops will be reported number of sacks of cement to be e notified, with sufficient lead esentative on location while run	e used. The District Of
Mud Prog	ram and Circulating Medium:	
THETAIL T	ate additives will be used in the	e mud system on Federal
brocecer	ands without prior BLM approval on of fresh water aquifers.	to ensure adequate
brocecer	on of fresh water aquifers. Logging and Testing Program:	to ensure adequate
brocecer	on of fresh water aquifers.	to ensure adequate
brocecer	on of fresh water aquifers.	to ensure adequate
brocecer	on of fresh water aquifers.	to ensure adequate

and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with form 3160-4. Samples (cuttings, fluids, and/or gases) will be submitted when requested by the authorized officer (AO).

	Conditions,	Bottom	Hole	Pressures	and	Potential	Hazards
							
			·				
Anticipa	ited Starting	Dates a	and No	otification	ns of	E Operation	
	ated Starting		and No	otification	ns of	f Operation	
Lec	ated Starting		and No	otification	ns of	f Operation	ns:

No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in a suspended status without prior approval of the AO. If operations are to be suspended, prior approval of the AO will be obtained and notification given before resumption of operations.

The spud date will be reported orally to the AO within 48 hours after spudding. If the spudding occurs on a weekend or holiday, the report will be submitted on the following regular work day. The oral report will be followed up with a Sundry Notice.

In accordance with Conshore Oil and Gas Order No. 1, this well will be reported on Form 9-329 "Monthly Report of Operations", starting with the month in which operations commence and continue each month until the well is physically plugged and abandoned. This report will be filed, in triplicate, to the Vernal BIM District Office, 170 South 500 East, Vernal, Utah 84078.

Immediate Report: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the requirements of NTL-3A or its revision.

If a replacement rig is contemplated for completion operations, a "Sundry Notice" (Form 3160-5) to that effect will be filed, for prior approval of the AO, and all conditions of this approved plan are applicable during all operations conducted with the replacement rig.

Should the well be successfully completed for production, the AO will be notified when the well is placed in a producting status. Such notification will be sent by telegram or other written communication, not later than 5 days following the date on which the well is placed on production.

Pursuant to MTL-2B, with the approval of the District Engineer, produced water may be temporarily disposed of into unlined pits for a period of up to 90 days. During the period so authorized, an application for approval of the permanent disposal method, along with the required water analysis and other information, must be submitted to the District Engineer.

Pursuant to NTL-4A, lessees or operators are authorized to vent/flare gas during initial well evaluation tests, not exceeding a period of 30 days or the production of 50 MCF of gas, whichever occurs first. An application must be filed with the District Engineer and approval received, for any venting/flaring of gas beyond the initial 30 day or authorized test period.

A schematic facilities diagram as required by 43 CFR 3162.7-2, 3162.7-3, and 3162.7-4 shall be submitted to the appropriate District Office within 30 days of installation or first production, whichever occurs first. All site security regulations as specified in 43 CFR 3162.7 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with 43 CFR 3162.7-4.

A first production conference will be scheduled within 15 days after receipt of the first production notice.

No well abandonment operations will be commenced without the prior approval of the AO. In the case of newly drilled dry holes or failures, and in emergency situations, oral approval will be obtained from the SO. A "Subsequent Report of Abandonment" Form 3160-5, will be filed with the AO within 30 days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the AO or his representative, or the appropriate Surface Managing Agency.

Pursuant to Onshore Oil and Gas Order No. 1, lessees and operators have the responsibility to see that their exploration, development, production, and construction operations are conducted in a manner which conforms with applicable Federal laws and regulations and with State and local laws and regulations to the extent that such State and local laws are applicable to operations on Federal or Indian lands.

B. THIRTEEN FOINT SURFACE USE PLAN

E:i	sting Poads:
a.	Iocation of proposed well in relation to town or other reference point:
b.	Proposed route to location:
c.	Location and description of roads in the area:
d.	Plans for improvement and/or maintenance of existing roads:
e.	Other:
Pla	nned Access Poads: Length: 900'
a.	Width: 30' ROW - 18' running surface (max.)
b.	remaindir grades:
C.	Turnouts:
d.	Location (centerline):
e.	Drainage: Divert N. Drainage w/ transhibilitys-
f.	Surface materials (source):
g.	Other: Fill in dranging on west side up topsoil -
All	travel will be confined to existing access road rights-of-way.
right be continued to the continued to t	the surface rights are owned by the Ute Indian Tribe and mineral ats are cwned by another entity, an approved rights-of-way will obtained from the BIA before the operator begins any construction vitys. If the surface is owned by another entity and the eral rights are owned by the Ute Indian Tribe, rights-of-way will obtained from the other entity.
Loca	tion of Existing Wells:

4. Location of Tank Batteries and Production Facilities:

All permanent (on site for six months or longer) structures constructed or installed (including oil well pumpjacks) will be painted a flat, non-reflective, earthtone color to match one of the standard environmental colors, as determined by the Focky Mountain 5 State Interagency Committee. All facilities will be painted within 6 months of installation. Facilities required to comply with O.S.M.A. (Occupational Safety and Mealth Act) will be excluded.

If a tank battery is constructed on this lease, it will be surrounded by a dike of sufficient capacity to contain 1½ times the storage capacity of the battery.

	capacity of the battery.
	Tank batteries will be placed on the: Remote flowline
[] W L	All loading lines will be placed inside the berm surrounding the tank battery.
	All site security guidelines identified in 43 CFR 3162.7 regulation will be adhered to.
	All off-lease storage, off-lease measurement, or commingling on-lease or off-lease will have prior written approval from the AO.
ĺ	Gas meter runs for each well will be located within 500 feet of the wellhead. The gas flowline will be buried from the wellhead to the meter and 500 feet downstream of the meter run or any production facilities. Meter runs will be housed and/or fenced.
	The oil and gas measurement facilities will be installed on the well location. The oil and gas meters must be calibrated in place prior to any deliveries. Tests for meter accuracy will be conducted monthly for the first three months for new meter installations and at least quarterly for other meter installations. The AO will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports will be submitted to the Vernal District Office. All meter measurement facilities will conform with the API standards for liquid hydrocarbons and the AGA standards for natural gas measurement.
•	If fill materials are needed to construct roads and well sites, proper permits will be obtained. A copy of the permit needed to obtain water will be attached to the application if water is to be used for the drilling. Information for permits will include: (a) the approximate amount of water or materials needed, (b) location and ownership of the water rights or materials to be used and, (c) the approximate amount of time the water or materials will be required.

.

Be surfine for herse

	1 be (lined) plastic
Bur dis	ning (will not) be allowed. All trash must be contained an posed of by: a trash cage and hauled to an
	approved sanetary landfill.
not per and for tim	duced waste water will be confined to a lined pit for a period to exceed 90 days after initial production. During the 90 day icd an application for approval of a permanent disposal method location, along with required water analysis, will be submitted the AO's approval. Failure to file an application within the allowed will be considered an incident of noncompliance, and I be grounds for issuing a shut-in order.
Anc	illary Facilities:
Cam	facilities (w)X1(will not) be required. They will be located:
Wel	Site Layout: The reserve pit will be located:
	Site Layout: The reserve pit will be located: Lucan pts. As's (N. Frest side)
Ze:	
Ze:	Luvern pts. A &'5 (A. FAST side)
Ze The	Luvern pts. A &'5 (A. FAST side)

6.

Methods of Handling Waste Disposal:

Peserve pits will be fenced with a wire mesh fence and topped with at least one strand of barbed wire. Fencing will he on 3 sides during dulling operations and on the 4th side affect the right moves of the Contine Operator's employees, including subcontractors, will not gather firewood along roads constructed by operators. If wood cutting is required, a permit will be obtained from the Forestry Department of the BIA pursuant to 25 CFR 169.13 "Assessed Damages Incident to

Right-of-Way Authorization". All operators, sub-contractors, vendors and their employees or agents may not disturb saleable timber (including firewood) without a duly granted wood permit from the BIA Forester.

9.	Plans	for	Restoration	of	Surface:

riais for restolation of surface:
Immediately upon completion of drilling, the location and surrounding area will be cleared of all debris, materials, trash and junk not required for production.
Before any dirt work to restore the location takes place, the reserve pit must be completely dry and all cans, barrels, pipe, etc. will be removed. If a plastic nylon reinforced line; i use it should be forn and perforated before backfull of the reserve pit.
All disturbed areas will be recontoured to the approximate natural
(Tear up loverest required for production operations,
The stockpiled topsoil will be evenly distributed over the disturbed areas.
Prior to reseeding, all disturbed areas, including the access reads, will be scarified and left with a rough surface.
Seed will be broadcast or drilled at a time specified by the ESS. If broadcast, a harrow or some other implement will be dragged over the seeded area to assure seed coverage.
,

forgot until booker The following seed mixture will be used:

over program without prior approval from the AO. Safe drilling and operating practices must be observed. All wells, whether drilling, producing, suspended, or abandoned will be identified in accordance with 43 CFR 3162.

"Sundry Notice and Peport on Wells" (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR $\frac{1}{3162}$. $\frac{3}{3}$.

The dirt contractor will be provided with an approved copy of the surface use plan.

A cultural resource clearance (will will not) be required before any construction begins. If any cultural resources are found during construction, all work will stop and the AO will be notified.

This permit will be valid for a period of one year from the date of approval. After permit termination, a new application will be filed for approval for any future operations.

12. <u>Lessee's or Coerators Representative and Certification</u>

Operator employees, including subcontractors, will not carry fire-arms or other weapons that may be used to kill game animals.

Operator employees, including subcontractors, will be confined to established roads and well sites. The purpose of this is to prevent soil erosion, and to prevent harassment of game animals or livestock with off-road vehicles such as snowmobiles, motorcycles, or 4-wheel drives.

All roads constructed by operators on the Uintah and Ouray Indian Reservation will have appropriate signs. Signs will be neat and of sound construction. They will state: (a) that the land is owned by the Ute Indian Tribe, (b) the name of the operator, (c) that firearms are prohibited to all non-Ute Tribal members, (d) that permits must be obtained from the B.I.A. before cutting firewood or other timber products and (e) only authorized personnel permitted.

A bench mark will be established near each well site at a location where it will not be destroyed. The bench mark will be a brass can set in concrete. The brass cap will show the well number and elevation to the nearest one-tenth of a foot. The cuts and fills diagram for the well site will show elevations in relation to the bench mark.

Pepresent	ative	
Name:		
Mdress:		
Phone No.		

Certification:

I hereby certify that I, or perso have inspected the proposed drill familiar with the conditions which statements made in this plan are knowledge; and, that the work asseproposed herein will be performed	site and access route, that I am h currently exist, that the true and correct to the best of my cciated with the operations
Cons	Energy
and its contractors and subcontractors and the terms and conditions under statement is subject to the provision of a false statement.	ctors sh (conformity with this plan
. 4/2/85 Date	Name and Title
CN-SITE	
DATE: 4/2/85	
PARTICIPANTS;	TITLE:
Hay J. Hensley	Bem



United States Department of the Interior

BUREAU OF INDIAN AFFAIRS UINTAH AND OURAY AGENCY

Fort Duchesne, Utah 81026 (801) 722-2406 Ext. 33, 34

IN REPLY REFER TO:

MENOD ANDIDA

approved APD.


Real Property Management Ten. and Mgmt. MAY 13 1985

3		ager, Bureau of Land Management
FROM: Action Buy	perintenden	it, Uintah and Ouray Agency
SUBJECT: Co	ors Energy	Co Well 3-8
in	the NW_4 ,	Co. , Well 3-8 Section 8, T. 5 S., R. 3 W., Uinta meridian, Utah
We (concur w	ith or, rec	ommend) approval of the Application for Permit to Drill
subject well.		11
Based on ava-	ilable info	rmation on . May 13, 1985 to have cleared the
Based on avai	ilable info ition in th	rmation on <u>May 13, 1985</u> , we have cleared the e following areas of environmental impact.
proposed loca	ition in th	e following areas of environmental impact.
proposed loca	ition in th	e following areas of environmental impact.
proposed loca	ition in th	e following areas of environmental impact.
proposed loca	ilable info tion in th NO NO NO NO	Listed threatened or endangered species. Critical wildlife habitat. Archaeological or cultural resources. Air quality aspects (to be used only if project is
YES X YES X YES X YES X	NO NO NO NO	Listed threatened or endangered species. Critical wildlife habitat. Archaeological or cultural resources. Air quality aspects (to be used only if project is in or adjacent to a Class I area of attainment)
proposed loca	ition in th	Listed threatened or endangered species. Critical wildlife habitat. Archaeological or cultural resources. Air quality aspects (to be used only if project is
YES X YES X YES X YES X	NO NO NO NO	Listed threatened or endangered species. Critical wildlife habitat. Archaeological or cultural resources. Air quality aspects (to be used only if project is in or adjacent to a Class I area of attainment)
YES X YES X YES X YES YES	NO NO NO NO	Listed threatened or endangered species. Critical wildlife habitat. Archaeological or cultural resources. Air quality aspects (to be used only if project is in or adjacent to a Class I area of attainment)



Ludu J. Suze

OPERATOR Good Energy	60.	DATE 5-13-85
WELL NAME The Frital 38		
WELL NAME THE STITULE 38 SEC NENW 8 T 55	R 3W COUNT	Dusheam
43-613-31101 API NUMBER		YPE OF LEASE
CHECK OFF:		
PLAT	BOND	NEAREST WELL
LEASE	FIELD	POTASH OR OIL SHALE
PROCESSING COMMENTS: Exception location little Water K - 85-43-27	regueral to to	Hose the quarter levis &
		
		•
APPROVAL LETTER:		
SPACING: A-3 UNIT	c_3	CAUSE NO. & DATE
c-3-b	C-3	: - c
STIPULATIONS:		
1- Exception boution 2- BOP - 3000 psi	- 85/8" Lsq.	
/	<u></u>	





355 W. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

May 15, 1985

Coors Energy Company P. O. Box 467 Golden, Colorado 80402

Gentlemen:

Re: Well No. Ute Tribal 3-8 - NE NW Sec. 8, T. 5S, R. 3W 505' FNL, 1439' FWL - Duchesne County, Utah

Approval to drill the above referenced oil well is hereby granted in accordance with Rule C-3(c), General Rules and Regulations and Rules of Practice and Procedure, subject to the following stipulations:

- 1. Submittal to the Division of information justifying the necessity for an exception location and verification of ownership within a radius of 500 feet of the proposed location.
- 2. Blowout prevention equipment with a minimum of 3000 psi working pressure should be used after drilling out of 8 5/8" casing.

In addition, the following actions are necessary to fully comply with this approval:

- 1. Spudding notification to the Division within 24 hours after drilling operations commence.
- 2. Submittal to the Division of completed Form OGC-8-X, Report of Water Encountered During Drilling.
- 3. Prompt notification to the Division should you determine that it is necessary to plug and abandon this well. Notify John R. Baza, Petroleum Engineer, (Office) (801) 538-5340, (Home) 298-7695 or R. J. Firth, Associate Director, (Home) 571-6068.
- 4. Compliance with the requirements and regulations of Rule C-27, Associated Gas Flaring, General Rules and Regulations, Oil and Gas Conservation.

Page 2 Coors Energy Company Well No. Ute Tribal 3-8 May 15, 1985

5. This approval shall expire one (1) year after date of issuance unless substantial and continuous operation is underway or an application for an extension is made prior to the approval expiration date.

The API number assigned to this well is 43-013-31101.

Sincerely,

R. J. Firth

Associate Director, Oil & Gas

as

Enclosures

cc: Branch of Fluid Minerals Bureau of Indian Affairs



RECEIVED

MAY 2 3 1985

GAS & MINING

May 21, 1985

Mr. R. J. Firth
Associate Director, Oil & Gas
State of Utah, Natural Resources
Oil, Gas & Mining
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

Re: Ute Tribal 3-18

NWNE Sec. 18, T5S-R3W

1142'FSL, 665'FWL

Duchesne County, Utah

Ute Tribal 3-8 SESW Sec. 8, T5S-R3W 505'FNL, 1439'FWL Duchesne County, Utah

Dear Ron:

As per your May 15, 1985 letter, we would like to submit to the Division the information necessary for an exception of the location within a 500' radius of the quarter-quarter line of each proposed location. Due to the rough terrain, Coors has topographical constraints as to where each location can be placed. In the case of the Ute 3-18, the well is located on the top of a narrow ridge. We have a steep ledge directly north, south and east of the location. See originally submitted topographic sheets. In the case of the Ute 3-8, we have a steep 100' cliff face directly to the east of the proposed location. Neither location could be moved without substantial environmental disturbance and costly construction expenses.

To address the question of verification of ownership within a 500' radius for the Ute 3-8, see the attached Designation of Operator submitted in the original application. Coors is the designated operator for the entire NE/4 of Section 8, T5S-R3W.

Page 2 Ute Tribal 3-18 Ute Tribal 3-8

In reference to the Ute 3-18, see the attached Designation of Operator. Coors is the designator operator of the entire SW/4 of Section 18, T5S-R3W. The Designation of Operator was also submitted with the original application to the State of Utah. Note that Coors is farming out leases owned by Gulf Oil in the Antelope Creek Field. If you require any further information, please feel free to contact me.

Very truly yours,

Q 1 helms

R. L. Neims Petroleum Engineer

RLN:kr

Attachments

cc:

BLM, Vernal, Utah

Ute Tribe, Jason Cuch, P.E.

BIA, Roland McCook

Jim Simonton

File

SUPERVISOR, OIL AND GAS OPERATIONS:

DESIGNATION OF OPERATOR

The undersigned is, on the records of the U.S. Department of the Interior, Bureau of Indian Affairs

DISTRICT LAND OFFICE: The Ute Indian Tribe and the Ute Distribution Corporation

Eeasë No. 14-20-H62

Tract No. 57 and hereby designates

NAME:

Coors Energy Company

ADDRESS: P.O. Box 467, Golden, CO 80401

as his operator and local agent, with full authority to act in his behalf in complying with the terms of the lease and regulations applicable thereto and on whom the supervisor or his representative may serve written or oral instructions in securing compliance with the Oil and Gas Operating Regulations with respect to (describe acreage to which this designation is applicable):

Township 5 South, Range 3 West, U.S.M. Section 8: NW/4

It is understood that this designation of operator does not relieve the lessee of responsibility for compliance with the terms of the lease and the Oil and Gas Operating Regulations. It is also understood that this designation of the lease and the Oil and Gas Operating Regulations. nation of operator does not constitute an assignment of any interest in the lease.

In case of default on the part of the designated operator, the lessee will make full and prompt compliance with all regulations, lease terms, or orders of the Secretary of the Interior or his representative.

The lessee agrees promptly to notify the oil and gas supervisor of any change in the designated operator.

GULF OIL CORPORATION

W. R. Wimbish Signature of Attorney-in-Fact

P.O. Box 2619, Casper, WY

(Address)

Form 3160-3 (November 1983) (formerly 9-331C)

SUBMIT IN TRI (Other instructions on reverse side)

Form approved. Budget Bureau No. 1004-0136 Expires August 31, 1985

UNITED STATES DEPARTMENT OF THE INTERIOR

5. LEASE DESIGNATION AND SERIAL NO.

, *	BUREAU OF	LAND MANAG	EMEN	T		14-20-H62-35	
APPLICATION	N FOR PERMIT	O DRILL, D	EEPE	N, OR PLUG B	ACK	6. IF INDIAN, ALLOTTI Ute Tribe	E OR TRIBE NAME
1a. TYPE OF WORK	LLXX	DEEPEN [PLUG BAC		7. UNIT AGREEMENT	NAMB
b. TYPE OF WELL OIL IVY GA	AS [T]			NGLE MULTIP	LIE 🗌	8. FARM OR LEASE NA	TWB.
OIL WELL XX GAW 2. NAME OF OPERATOR	ELL OTHER	V	Z 0	NE EAST ZONE		Ute Tribal	
Coors Energy Co	ompany	nra	, (303) 278-7030		9. WELL NO.	
3. ADDRESS OF OPERATOR		- REC	, - 	/LU	1177	3-8	
PO Box 467, Gol	lden, Colorado	80402		<u> </u>	2 8 8 4 4 4	10. FIELD AND POOL,	_
4. LOCATION OF WELL (R At surface 505 FT	eport location clearly and	in accordance wit	apy S	tate_requirements.*)		Antelope Cre	
505 FT	VL, 1439'FWL, N	E/4NW/4			c_{Ro}	11. SEC., T., R., M., OR	AREA
At proposed prod. zon Same		DIVISI		· · · · · · · · · · · · · · · · · · ·	120	Sec. 8, T5S-	-R3W
14. DISTANCE IN MILES	AND DIRECTION FROM NEA	REST TOWN OR POST	Romania 1	MNG /	User	12. COUNTY OR PARIS	Utah
	7 miles south o	t Bridgeland	1	10	970 2.51	DE ACRES ASSIGNED	Ocarr
15. DISTANCE FROM PROPO LOCATION TO NEARES	r	505'	16. NO	533.33		HIS WELL	
PROPERTY OR LEASE I (Also to nearest dr);	g. unit line, if any)	505	-10		20 - 2074	RY OR CABLE TOOLS	
18. DISTANCE FROM PROI TO NEAREST WELL, D			19. PR	OPOSED DEPTH	ZUJROTA		
OR APPLIED FOR, ON TH	IS LEASE, FT.	605 '		6464 '	<u> </u>	rotary	ORK WILL START*
21. ELEVATIONS (Show wh	ether DF, KT, GR, etc.)					July	, 1985
5869 GL		DD CDCGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGG		CEMENTING PROGRA		1 002,	2
20.		PROPOSED CASIF	MG ANL				
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FO	DOT	SETTING DEPTH	-	300 SX.	ERT
12-1/4"	8-5/8"	24.00#		400 '	-[1200 sx.	
7-7/8"	5-1/2"	15.50#		0404	-	1200 54	
 Estimated Water zone oil. No a Attached i The propos mud. Mud Auxiliary to fit the will be us No coring be run wil No abnorma Anticipate 	is planned, dri 1 be: DIL, CNI 1 temperatures, d starting date E PROPOSED PROGRAM: If drill or deepen direction	thruout the prince of the pressure medium will ess of 10#/get will be rill be on the control of the pressure o	Green Green ones e cor be 3 al ar un ir he ri ts ma or po 5; du	n River) en River formation River formation are anticipated attrol device to the KCL water or the drill stranger floor at all may be run in position of drill plug back, give data on possibility and subsurface locations and the subsurface locations are recognitive.	be use a low-ted. ing. A times. tential s are eling of the property of the pro	ed on this well- solids non-di A full opening Kelly cock pay zones. expected. perations: 30	1. spersed valve valves Logs to days.
(This space for Fed	Artin eral or State office use)	TI	TLE V	.P. O/G Operati	ons	DATE 5	-2-85
PERMIT NO.	Graffille you	TI TI	TLE	DISTRICT MANAGE	R	DATH	19/85
CONDITIONS OF APPRO	VAL, IF ANY:			es apparial atta	CHED		

NOTICE OF APPROVAL

14 GPERATOR'S COPY

*See Instructions On Reverse Side

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

RECEIVED

CONDITIONS OF APPROVAL FOR NOTICE TO DRILL WITHIN THE UINTAH OURAY RESERVATION

JUL 1 2 1985

Company _	Coors En	ergy Compa	ny	Well No.	DIVISION OF OIL
Location _	Sec. 8	T5S	R3W	Lease No.	14-20-н62-3507
Onsite Ins	spection Date	04-02	-85	·	
full compl	and/or unit operaiance is made with 1 and Gas Order	th applica	ble laws,	regulations (4	3 CFR 3100),

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas Order No. 1, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

A. DRILLING PROGRAM

1. All fresh water and prospectively valuable minerals (as described by BLM at onsite) encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

2. Pressure Control Equipment

Ram-type preventers shall be tested to 2,000 psi.

BOP and choke manifold systems will be consistent with API RP 53. Pressure tests will be conducted before drilling out from under all casing strings which are set and cemented in place. Blowout preventer controls will be installed prior to drilling the surface casing plug and will remain in use until the well is completed or abandoned. Preventers will be inspected and operated at least daily to ensure good mechanical working order, and this inspection recorded on the daily drilling report. Preventers will be pressure tested before drilling casing cement plugs.

The District Office should be notified, with sufficient lead time, in order to have a BLM representative on location during pressure testing.

3. Casing Program and Auxiliary Equipment

The District Office should be notified, with sufficient lead time, in order to have a BLM representative on location while running all casing strings and cementing.

4. Mud Program and Circulating Medium

No chromate additives will be used in the mud system on Federal and Indian lands without prior BLM approval to ensure adequate protection of fresh water aquifers.

5. Coring, Logging and Testing Program

Daily drilling and completion reports shall be submitted to this office on a weekly basis.

Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164. Two copies of all logs, core descriptions, core analyses, well-test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with Form 3160-4. Samples (cuttings, fluids, and/or gases) will be submitted when requested by the authorized officer (AO).

6. Anticipated Starting Dates and Notifications of Operations

No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in a suspended status without prior approval of the AO. If operations are to be suspended, prior approval of the AO will be obtained and notification given before resumption of operations.

The spud date will be reported orally to the AO within 48 hours after spudding. If the spudding occurs on a weekend or holiday, the report will be submitted on the following regular work day. The oral report will be followed up with a Sundry Notice.

In accordance with Onshore Oil and Gas Order No. 1, this well will be reported on Form 3160-6 "Monthly Report of Operations", starting with the month in which operations commence and continue each month until the well is physically plugged and abandoned. This report will be filed, in duplicate, to the Vernal BLM District Office, 170 South 500 East, Vernal, Utah 84078.

Immediate Report: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the requirements of NTL-3A or its revision.

If a replacement rig is contemplated for completion operations, a "Sundry Notice" (Form 3160-5) to that effect will be filed, for prior approval of the AO, and all conditions of this approved plan are applicable during all operations conducted with the replacement rig.

Should the well be successfully completed for production, the AO will be notified when the well is placed in a producting status. Such notification will be sent by telegram or other written communication, not later than 5 days following the date on which the well is placed on production.

Pursuant to NTL-2B, with the approval of a District Engineer, produced water may be temporarily disposed of into unlined pits for a period of up to 90 days. During the period so authorized, an application for approval of the permanent disposal method, along with the required water analysis and other information, must be submitted to the District Engineer.

Pursuant to NTL-4A, lessees or operators are authorized to vent/flare gas during initial well evaluation tests, not exceeding a period of 30 days or the production of 50 MMCF of gas, whichever occurs first. An application must be filed with the District Engineer and approval received, for any venting/flaring of gas beyond the initial 30 day or authorized test period.

A schematic facilities diagram as required by 43 CFR 3162.7-2, 3162.7-3, and 3162.7-4 shall be submitted to the appropriate District Office within 30 days of installation or first production, whichever occurs first. All site security regulations as specified in 43 CFR 3162.7 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with 43 CFR 3162.7-4.

A first production conference will be scheduled within 15 days after receipt of the first production notice.

No well abandonment operations will be commenced without the prior approval of the AO. In the case of newly drilled dry holes or failures, and in emergency situations, oral approval will be obtained from the AO. A "Subsequent Report of Abandonment" Form 3160-5, will be filed with the AO within 30 days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the AO or his representative, or the appropriate Surface Managing Agency.

Pursuant to Onshore Oil and Gas Order No. 1, lessees and operators have the responsibility to see that their exploration, development, production, and construction operations are conducted in a manner which conforms with applicable Federal laws and regulations and with State and local laws and regulations to the extent that such State and local laws are applicable to operations on Federal or Indian lands.

B. THIRTEEN POINT SURFACE USE PLAN

1. Planned Access Roads:

All travel will be confined to existing access road rights-of-way.

If the surface rights are owned by the Ute Indian Tribe and mineral rights are owned by another entity, approved rights-of-way will be obtained from the BIA before the operator begins any construction activities. If the surface is owned by another entity and the mineral rights are owned by the Ute Indian Tribe, rights-of-way will be obtained from the other entity.

2. Location of Tank Batteries and Production Facilities

All permanent (on site for six months or longer) structures constructed or installed (including oil well pumpjacks) will be painted a flat, non-reflective, earthtone color to match the standard environmental colors, as determined by the Rocky Mountain 5 State Interagency Committee. All facilities will be painted within 6 months of installation. Facilities required to comply with O.S.H.A. (Occupational Safety and Health Act) will be excluded.

All site security guidelines identified in 43 CFR 3162.7 regulations will be adhered to.

All off-lease storage, off-lease measurement, or commingling onlease or off-lease will have prior written approval from the AO.

Gas meter runs for each well will be located within 500 feet of the wellhead. The gas flowline will be buried or anchored down from the wellhead to the meter and 500 feet downstream of the meter run or any production facilities. Meter runs will be housed and/or fenced.

The oil and gas measurement facilities will be installed on the well location. The oil and gas meters will be calibrated in place prior to any deliveries. Tests for meter accuracy will be conducted monthly for the first three months on new meter installations and at least quarterly thereafter. The AO will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports will be submitted to the Vernal District Office. All meter measurement facilities will conform with the API standards for liquid hydrocarbons and the AGA standard for natural gas measurement.

3. Methods of Handling Waste Disposal

Produced waste water will be confined to a lined pit for a period not to exceed 90 days after initial production. During the 90 day period, an application for approval of a permanent disposal method and location, along with required water analysis, will be submitted

for the AO's approval. Failure to file an application within the time allowed will be considered an incident of noncompliance, and will be grounds for issuing a shut-in order.

4. Well Site Layout

The reserve pit will be located between points A and 5 on the northeast.

The stockpiled topsoil will be stored on the west side near point 1.

Access to the well pad will be from between points 2 and 3 from the north.

Operator's employees, including subcontractors, will not gather firewood along roads constructed by operators. If wood cutting is required, a permit will be obtained from the Forestry Department of the BIA pursuant to 25 CFR 169.13 "Assessed Damages Incident to Right-of-Way Authorization". All operators, subcontractors, vendors and their employees or agents may not disturb saleable timber (including firewood) without a duly granted wood permit from the BIA Forester.

5. Plans for Restoration of Surface

Seed will be broadcast or drilled at a time specified by the BIA. If broadcast, a harrow or some other implement will be dragged over the seeded area to assure seed coverage.

The seed mixture will be determined by the BIA at the time of restoration.

Abandoned well sites, roads, or other disturbed areas will be restored to near their original condition. This procedure will include: (a) reestablishing irrigation systems where applicable, (b) reestablishing soil conditions in irrigated fields in such a way as to insure cultivation and harvesting of crops, and (c) insuring revegetation of the disturbed areas to the specifications of the Ute Indian Tribe or the BIA at the time of abandonment.

6. Surface and Mineral Ownership

Indian surface and minerals.

7. Other Information

There will be no deviation from the proposed drilling and/or workover program without prior approval from the AO. Safe drilling and operating practices must be observed. All wells, whether drilling, producing, suspended, or abandoned will be identified in accordance with 43 CFR 3162. "Sundry Notice and Report on Wells" (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR 3162.3-2.

This permit will be valid for a period of one year from the date of approval. After permit termination, a new application will be filed for approval for any future operations.

الروفية فاريا البادية الرازي بدرا الطووران الما بالطها عطاسها هم بالأفكامية بالأساد

8. Lessee's or Operators Representative and Certification

All roads constructed by operators on the Uintah and Ouray Indian Reservation will have appropriate signs. Signs will be neat and of sound construction. They will state: (a) that the land is owned by the Ute Indian Tribe, (b) the name of the operator, (c) that firearms are prohibited to all non-Ute Tribal members, (d) that permits must be obtained from the B.I.A. before cutting firewood or other timber products and (e) only authorized personnel permitted.

In the event after-hour approvals are necessary, please contact one of the following individuals:

Craig M. Hansen Assistant District Manager for Minerals (801) 247-2318

Gerald E. Kenczka Petroleum Engineer (801) 781-1190

R. Allen McKee Petroleum Engineer (801) 781-1368

DIVISION OF OIL, GAS AND MINING

	SPUDDING INFO	RMATION	API #43.	-013-31101
NAME OF COMPANY:	COORS ENERGY COM	IPANY	· · · · · · · · · · · · · · · · · · ·	
WELL NAME:	UTE TRIBAL #3-8		 	
SECTION NE NW 8 TOWNSH				Duchesne
DRILLING CONTRACTOR	Leon Ross			
RIG #				
SPUDDED: DATE 12-5-	<u>85</u>			
TIME 9.00	<u>AM</u> _			
How Rat H	010			
DRILLING WILL COMMENCE	12-20-85 - Veco	Drilling R	ig #2	
REPORTED BY <u>Karen</u>	•			
TELEPHONE $\frac{ll}{ll}$ 278–7030				
DATE 12-5-85		SIGNED	SB	

SUBMIT IN TRIPLE ATE: (Other instructions on

	STATE OF UTAH	first tea	-11 (1·)	
DEPARTMEN	OF OU CAS AND MUNICIPAL	CEIVED		
DIVISION	OF OIL, GAS, AND MINING	Winn I V Rom ten	5. LEADE DEBIONATION	AND BERIAL
			14-20-H62-350)7
CLIVIDAY MOTICE	S AND DEDONES ON DE	C 23 1985	O. IF INDIAN, ALLOTTE	
	s and reports on ₩	ELES		
(Do not use this form for proposals t	o drill or to deepen or plug back to a (N FOR PERMIT—" for such proposals.)	different reservoir.	Ute Tribe	
	DIV	ISION OF Ort.		
OIL STATE UAB SET			T. UNIT AGREEMBNY N.	443
WELL XX WELL XX OTHER	G.F.	AS & MINING		
2. NAME OF OPERATOR			S. FARM OR LEASE HAD	43
Coors Energy Company			Ute Tribal	
3. ADDRESS OF OFFRATOR			9. WELL NO.	
	1 00/00		ł .	
PO Box 467, Golden, Colora			3 - 8	
4. LOCATION OF WELL (Report location clearly See also space 17 below.)	and in accordance with any State requ	irements.*	10. FIELD AND POOL, O	WILDCAT
At surface			Antelope Cree	≥k
505'FNL, 1439'FW	I. NE/4NW/4			
303 1112, 1103 111			11. SEC., T., R., M., OR B SURVEY OR AREA	
				057
			Sec. 8, T5S-F	
	BLEVATIONS (Show whether DF, RT, OR, etc.	.)	12. COUNTY OR PARISM	18. 87478
43-013-31101	5869 ' GL		Duchesne	Utah
			•	
Check Approp	nate Box To Indicate Nature of	Notice, Report, or C	Other Data	
NOTICE OF EDITOR			UBNT ABPORT OF:	
NOTICE OF INTENTION 1		1033300	WHAT ABLORE ON:	
TIST WATER SHUT-OFF PULL O	R ALTER CASING WAS	138 SHUT-077	REPAIRING W	
		CTURE TREATMENT	ALTERING CA	
TANCTURE TRANS	 		7	
		PHISIDIDA RO DRITU		" . — — — — — — — — — — — — — — — — — —
SHOOT OR ACIDIZE ABANDO	/"	Progress	くらわらかす	
		Progress I		
(Other) 7. DESCRIBE PROPOSED OR COMPLETED OPERATION proposed work. If well is directionally conent to this work.) 12/5/85 Spudded well 12/5,	s (Clearly state all pertinent details, and drilled, give subsurface locations and miles. 85 at 9:00AM, ran 10 jt	(Note: Report results ('ompletion or Recomple nd give pertinent dates, essured and true vertica	of multiple completion of etion Report and Log form including estimated date I depths for all markers	of starting a
(Other) 7. DESCRIBE PROPOSED OR COMPLETED OPERATION proposed work. If well is directionally conent to this work.)	s (Clearly state all pertinent details, and drilled, give subsurface locations and miles. 85 at 9:00AM, ran 10 jt	(Note: Report results ('ompletion or Recomple nd give pertinent dates, essured and true vertica	of multiple completion of etion Report and Log form including estimated date I depths for all markers	n.) of starting n
7. DESCRIBE PROPOSED OR COMPLETED OPERATION proposed work. If well is directionally conent to this work.)* 12/5/85 Spudded well 12/5, 400°, cemented w/2	s (Clearly state all pertinent details, and drilled, give subsurface locations and miles at 9:00AM, ran 10 jt 250 sx. cement.	(Notz: Report results founded in the Properties of Recomples of Recomp	of multiple completion of etion Report and Log form including estimated date I depths for all markers	of starting nand zones per
(Other) 7. DESCRIBE PRIMARED OR CUMPLETED UPKRATION proposed work. If well is directionally connected this work.). 12/5/85 Spudded well 12/5, 400, cemented w/. 12/6 to present WO Olsen Rig #2.	3 (Clearly state all pertinent details, and drilled, give subsurface locations and middled, give subsurface locations and give subsu	(Notz: Report results founded in the Properties of Recomples of Recomp	of multiple completion of etion Report and Log form including estimated date is depths for all markers. # J55 casing to	of starting hi

56 64 01		56	64	01	2
----------	--	----	----	----	---

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL GAS AND MINING

	DIVISION	OF O	L, GAS,	AND MI	NING	_				5. LEASE DE 14-20-H		S507
WELL C	OMPLET	IQN C	OR REC	OMPLI	TION	REPORT	 Γ Α	ND LO	OG *	6. IF INDIAN	I, ALLO	TIES OR TRIBE HAME
L TYPE OF W	ELL: OMPLETION:	WELL	W KE	. XX	PRT	Other		CEIV		7. UNIT AOR	BEMENT	
2. NAME OF OPE	RATOR						Λ Δ Ι	00.10	0.40	Ute Tri		
Coors Ener	PERATOR					·····		08 19		9. WELL NO.	-	
PO Box 467	, Golden	, Colo	rado 8	80402	721	ان	VIS	ION OF	OIL	1 .		OR WILDCAT
At surface	505 FNL,	1439 t	FWI. N	e <i>40001441</i> E/4NW/4	ioe with	any State reg	ÁS	8'MINI	NG	Antelop		BLOCK AND SURVEY
At top prod.	•	•	1 11119 111	L) -FIW) -	•					Sec. 8,		
At total depti	.											•
en a la company de la comp	same			4:	3-013-	-31101		5/15/85		12. COUNTY O		.Utah
15. DATE SPUDDED 12/6/85		t.d. reach /19/85	17. 6	2/31/85		to prod.) 1		869 GL		B, RT, 6H, RTC.)*	19. BI	LEV. CASINGREAD
12/6/85 26. TOTAL DEFTH. M	DA TYD 2		CK 7.8., MD		2. IF ME	LTIPLE COMPI			TERVAL	7		CABLE TOOLS
6464 1 24. PRODUCING INT	ERVAL(S), OF		255 '	DP. BOTTOM	MAME		•		<u> </u>	0-6464		WAS DIRECTIONAL
Green Rive	AND OTHER 1	-5152"		 	_				<u></u>		27. WA	no .
23.	OHL		CAS	SING REC	ORD (Re	port all string	o oct	in seell)				110
CASING SIZE	WEIGHT.		DEPTH E	ET (MD)	100	OLE SIZE		CE		G RECORD		AMOUNT PULLED
8 - 5/8" 5 - 1/2"	<u>24.</u>	00# 50#	53	00'	-	1/4"	.		50 s	х.	-	
		3011			- /-	7/8"	<u> </u>	13	00 s	X		
29.		LINE	R RECORI		1			1			<u>:L</u>	
SIZE	TOP (MD)		OM (MD)	SACKE C	EMENT.	SCREEN (M	D)	30.	$\neg \tau$	TUBING RECOR		ACKER SET (MD)
							<u> </u>	2-3/	8''	5168'		
31. PERFORATION RE	CORD (Interve	i, sice and	number)	1		32.	A	ID, SHOT	. FRAC	TURE, CEMENT	SQUEE	ZE ETC.
5149-52',	5143-46	, 5134	- 36 ' , 5	5127-30) ' ,	DEPTH INT				MOUNT AND KIND		
4954 - 56 ' a	t 1 SPF	totali	ng 15 s	shots	•	<u>4954–51</u>	52 '			000# 20/40 20 sand, 90		l. 45.000# ols gel water
33.*												· · · · · · · · · · · · · · · · · · ·
DATE FIRST PRODUCT	ION P	RODUCTION	METHOD (Flowing, go		OUCTION	end t	ype of pum	· p)	VELL ST.		Producing or
Shut in	P HOURS TEST		<u> 2월''</u> >	1½" x	16'	rod pump				1	sur	<u>f. facilit</u> ie
12/31/85	24			TEST	PERIOD	05		7/2		WATER—BBL.	•^*	1505
NOW, TUBING PARCE.	CABINO PRE		LCULATED	011	18L.	95	icr.	<u>I 143</u>	WATER-	or	L OBAVI	1505
34. DISPOSITION OF G	AB (Rold word			95	<u> </u>	11	43					<u></u>
Sold		, or , set, v								Jim Sim		
36. I hereby certify	that the fac-	olos sed	- 44 h 4 - 7							·		40
SIGNED	24	Ma.	diameter in	A OF IME (10B		•1• and corre				ali available recoi		7-31-51

R. L. Martin

NSTRUCTIONS

submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not field prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directions surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be Gearers: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency.

or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 24 and in item 24 abow the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval interval.

In each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 39: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and 24 above.)

ACT DO MENT OF TO CONCOR ACT HOUSE OF THE WORLD OF THE WORLD OF THE WALL TREATED, CURRENT OF THE MENTED.	AHON ALL IMPONANT BONES OF PORCEIT AND CONTENTS THRESDOF! CO DEFIN INTERVAL TESTED, CURRICH USED, TIME TOOL OFEN, FLOWING AN	USED, TIME TOOL OF	THE THERBOF; CORED INTERVALE; AND ALL DRILLETEM TRETS, INCLUDING PEN, PLOWING AND SHUT-IN PRESSURES, AND RECOVERIES	38.	OROLOGIC MARKERS	
FORMATION	101	BOTTOK	DESCRIPTION, CONTENTS, STC.		- TOT	
					MEAS. DEFTH	TEUR VART. DAFTE
Green River:	1335				•	
Green River (Parachute Creek):	2730				.*.	
Green River (Garden Gulch):	3450					
Green River (Upper Douglas Creek):	,0677	•				
•						

(b)

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING 4241 State Office Building Salt Lake City, UT 84114

REPORT OF WATER ENCOUNTERED DURING DRILLING

Well Name	e & Numb	er	Jte T	riba	1 3-8							_
Operator	Coors	Energy	Comp	any		_Add:	ress_	РО Во	ox 46	7, Gold	en, Co.	80402
Contracto	or_Olse	en Drill	ing,	Rig	#2	_Add:	ress_	1616	Glen	arm Pl,	Denver	, Co.
Location									•			=80202
Water Sar	nds											
	Depth	Ļ			<u>Volume</u>				<u>(</u>	Quality	-	
I	From	To		Flow	Rate or	: Hea	ad		Fres	sh or Sal	ty	•
1	200'				none					fresh	·······	
2			······································						·			_
3												
4												
5												-
		(Conti	nue o	n rev	erse si	de i	f nec	essary	7)			-
Formation	Tops											
Remarks												
NOTE: (a		ort on th Regulati	is fo	rm as nd Ru	provide les of 1	ed f Prac	or in tice	Rule and Pr	C-20, ocedu	General re.	Rules	

If a water analysis has been made of the above reported zone,


please forward a copy along with this form.

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES

SUBMIT IN TROPUDATES
(Other instructions on
reverse side)

3	
)	

	DI	VISION OF OIL, GA	AS, AND MIN	IING	L L	20-H62-35	07
;Do no	SUNDRY N	OTICES AND R	EPORTS C	N WELLS ck to a different reservoir.		Tribe	S OR TRIBE NA
1.				*/************************************		AGREMBAT H	LMD
WELL X	WELL OTH	33		I WELL WIRE		-	
	nergy Company			TER 10 1986	1	Tribal	4 »
PO Box 4		Colorado 80402		TED 1000	9. 4311	#0.	
4. LOCATION OF	•	ion clearly and in accord	Ance With Any 3	LDIVISION OF IL. GAS & MINING	I	elope Cre	
2	505'FNL,	1439'FWL, NE/4	4NW/4	• (11. asc.,	T., R., M., OR B	
					Sec.	. 8, T5S-	R3W
43-013-3	31101	14. PLEVATIONS (3) 58691		T, OR, etc.)		asne	Utah
16.	Check	Appropriate Box To	Indicate Nat	ture of Notice, Report, or	Other Date	<u> </u>	
	NOTICE OF IN	TENTION TO:		80381	ROTEK TKEUP	7 07:	
TEST WATE	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	PULL OR ALTER CASING	• 🗆 📗	WATER SHUT-OFF	/"	REPAIRING W	• LL
FRACTURE T	REAT	MELTIPLE COMPLETE		PRACTURE TREATMENT	_	ALTERIPE CA)#• 🔲
A RO TOOKE		ABAMDOM*	H	(Other) First day	i of Produ	ABANDONMENT	• -
REFAIR WEL (Other)	ı.	CHAPGE PLAPS	$H \mid I$	(Other) <u>FIEST Clay</u> (Norz: Report result ("ompletion or Recom	s of multiple	completion er	Well
	MAKE OF CONFEERED	OPERATIONS (Clearly state	ull pertinent d	rialis, and give pertinent dates and measured and true verti			
	Texaco Tradi PO Box 5568 Denver, Colo Mountain Fue PO Box 11450	the following: ng and Transpor rado 80217	rtation, In				
SIGNED	Re Le Martin or Federal or State of	Die um)		O/G Operations	DATE	2/6/	86
APTROVED I	OF APPROVAL IF		TLE		DATE		





Eastern Area • State/County Building • 152 E. 100 North • Vernal, UT 84078-2110 • 801-789-3714

March 18, 1987

PEGELV MAR 3 1 1987

DIVISION OF OIL. GAS & MINING

Mr. Joe Curry Curry Leasing P. O. Box 227 Altamont, Utah 84001

COURS ENERRY

RE: Temporary Change t14264

Dear Mr. Curry:

The above numbered Temporary Change Application has been approved, subject to prior rights.

A copy is herewith returned to you for your records and future reference.

Sincerely yours,

Robert W. Leake, P.E., Area Engineer

for Robert L. Morgan, P.E. State Engineer

RLM:RWL/1n

Enclosure

£	 M 47 1	

APPLICATION NO	2	14264
DISTRIBUTION SYSTE		·


Application For Temporary Change of Point of Diversion, Place or Purpose of Use STATE OF UTAH

(To Be Filed in Duplicate)

Vernal,	Utah	M	larch 17	. 19.87	
Place		Da	te		
For the purpose of obtaining permission to temporarily of water, the right to the use of which was acquired by	-1685	point of diversion (Strike out writter	on, place or pu n matter not need	rpose of use ded)	
(Give No	of anolication	title and date of I	A	d No.1	
to that hereinafter described, application is hereby made to the facts, submitted in accordance with the requirements of the Lav	ws of Utah.				
1. The owner of right or application is J. Willis Moon,					
2. The name of the person making this application is. Curry	y Leasing	•••••	*************		
3. The post office address of the applicant is P. O. Box 22	27, Altam	ont, Utah 8	400]		
PAST USE OF					
4. The flow of water which has been used in second feet is	5/7	•	*		
5. The quantity of water which has been used in acre feet is	•••••	•	•••••		
6. The water has been used each year from	(Day)	(Month)	· (Day)		
7. The water has been stored each year from				, incl.	
8. The direct source of supply is Antelope Draw		(Month)		Country	
9. The water has been diverted into Ditch	ditch at a	noint located S	. 80 ⁰ 38 ' ฟ. 3	26041 from	
the E¼ Cor. Sec. 16, I4S,R3W, USB&M	canal utu	ponitionateuo.		.0.0. 1 1.1.0III	
10. The water involved has been used for the following purpose:					
NOTE: If for irrigation, give legal subdivisions of land and total acreage w		Total 124.9	•	acres.	
place and purpose of use.	nich nas been i	rrigated. It for othe	r purpses, give		
THE FOLLOWING TEMPORARY		ARE PROP	OSED		
THE FOLLOWING TEMPORARY (ARE PROP	OSED		
THE FOLLOWING TEMPORARY (11. The flow of water to be changed in cubic feet per second is	.0	ARE PROP	OSED	*	
THE FOLLOWING TEMPORARY (1). The flow of water to be changed in cubic feet per second is 12. The quantity of water to be changed in acre-feet is	.0	ARE PROP	OSED		40
THE FOLLOWING TEMPORARY (11. The flow of water to be changed in cubic feet per second is	.0	ARE PROP	OSED		40
THE FOLLOWING TEMPORARY (11. The flow of water to be changed in cubic feet per second is 12. The quantity of water to be changed in acre-feet is	.0 ditch canal at a	ARE PROP	OSED lorth 2640	.ft. East 26	40
THE FOLLOWING TEMPORARY (11. The flow of water to be changed in cubic feet per second is 12. The quantity of water to be changed in acre-feet is	.0 ditch at a canal 9.87, to	point located .M.	OSED lorth 2640	.ft. East 26	i40
THE FOLLOWING TEMPORARY (11. The flow of water to be changed in cubic feet per second is 12. The quantity of water to be changed in acre-feet is	ditch at a canal at a canal at a grand at a	ARE PROP point located .M. Apr. lone year) well drill	OSED lorth 2640 30 ing.compl	.ft. East 26	540
THE FOLLOWING TEMPORARY (11. The flow of water to be changed in cubic feet per second is	ditch at a canal at a second at a canal at a second at a canal at a second at a canal at	ARE PROP point located .M Apr. lone year) Well drill	OSED lorth 2640 30 ing.compl	.ft. East 26	i40
THE FOLLOWING TEMPORARY (11. The flow of water to be changed in cubic feet per second is	ditch at a canal at a second a	ARE PROP point located	OSED lorth 2640 30 ing. compl	ft. East 26	i40
THE FOLLOWING TEMPORARY (11. The flow of water to be changed in cubic feet per second is	ditch at a canal at a second a	ARE PROP point located	OSED lorth 2640 30 ing. compl	ft. East 26	i40
THE FOLLOWING TEMPORARY (11. The flow of water to be changed in cubic feet per second is	ditch at a canal at a scanal a	ARE PROP point located .M. Apr. lone year) well drill year peen made) COORS Energ	OSED North 2640 30 ing. compl. s prior to this	ft. East 26	i40
THE FOLLOWING TEMPORARY (11. The flow of water to be changed in cubic feet per second is	ditch at a canal at a canal at a general at	ARE PROP point located Apr. lone year) well drill year cen made) Coors Energ	OSED Jorth 2640 30 ing, compl. s prior to this 19:Ute Triba 1,29,30,31	ft. East 26 . 19 88 etion and application. bal 6-4, 1 2-3 ,32,33.	i40
THE FOLLOWING TEMPORARY (11. The flow of water to be changed in cubic feet per second is	ditch at a canal at a canal at a second for oil canal at a second for	ARE PROP point located Apr. lone year) well drill year cen made) Coors Energ	OSED Jorth 2640 30 ing, compl. s prior to this 19:Ute Triba 1,29,30,31	ft. East 26 . 19 88 etion and application. bal 6-4, 1 2-3 ,32,33.	i40
THE FOLLOWING TEMPORARY (11. The flow of water to be changed in cubic feet per second is	on ditch at a canal at a second at a secon	ARE PROP point located Apr. lone year) well drill year Coors Energential 19,20,21,28 Total s, give place and p	osed lorth 2640 30 ing, compl. s prior to this y: Ute Triba 3,29,30,31 urpose of propo	etion and application. bal 6-4, 12-3 32,33 ceres.	i40
THE FOLLOWING TEMPORARY (11. The flow of water to be changed in cubic feet per second is	on ditch at a canal at a second at a secon	ARE PROP point located Apr. lone year) well drill year Coors Energential 19,20,21,28 Total s, give place and p	osed lorth 2640 30 ing, compl. s prior to this y: Ute Triba 3,29,30,31 urpose of propo	etion and application. bal 6-4, 12-3 32,33 ceres.	i40
11. The flow of water to be changed in cubic feet per second is	oditch at a canal at a canal at a second at a canal at a second at a canal at	ARE PROP point located Apr. lone year) well drill year cons Energental 3=8; 19,20,21,28 Total give place and p	osed lorth 2640 30 ing, compl. s prior to this y: Ute Triba 3,29,30,31 urpose of propo	ft. East 26. 19.88 etion and application. bal. 6-4., 1.2-3 ,32,33 ed use. (Sec /8)	i40
THE FOLLOWING TEMPORARY (11. The flow of water to be changed in cubic feet per second is 12. The quantity of water to be changed in acre-feet is	oditch at a canal at a canal at a second at a canal at a second at a canal at	ARE PROP point located Apr. lone year) well drill year cons Energental 3=8; 19,20,21,28 Total give place and p	osed lorth 2640 30 ing, compl. s prior to this y: Ute Triba 3,29,30,31 urpose of propo	ft. East 26. 19.88 etion and application. bal. 6-4., 1.2-3 ,32,33 ed use. (Sec /8)	i 40
11. The flow of water to be changed in cubic feet per second is	ditch at a canal at a second a	ARE PROP point located Apr. lone year) well drill year cons Energ ribal 3=8, 19 20,21,28 Total 20,21,28 s. give place and p	osed lorth 2640 30 ing. compl. s prior to this y: Ute Triba 1,29,30,31 urpose of propo	ft. East 26 19.88 etion and application. bal. 6-4, 1.2-3 ,32,33 ed use. (Sec /8)	i 40

CHAPIA. IS OF APPROVAL IF ANY:

DEPARTMENT OF NATURAL RESOURCES



			17- 11-5	JOONEE 3			F(
b	DIVI	SION OF OIL, GAS	, AND N	MINING		14-20-н62-	
	SUNDRY NO	TICES AND RE	PORTS	ON WELLS		6. IF INDIAN, ALLOTT	120 04 Think No.
;De	net use this form for bres	possis to drill or to deep CATION FOR PERMIT—)r.	Ute Tribe	
i.	VV					7. UNIT AGAZEMBNT	MAMB
2 YAMB OF	WELL X OTHER					8. FARM OR LIABE W	
	nergy Company					Ute Tribal	
	467, Golden, Colo	orado 80402				9. WELL NO. 3-8	
4. LOCATION See also At surfa	or wall (Report location space 17 below.)			State requirementa.		Antelope	DA WILDCAT
. 20 10111	505 FNL, 143	9'FWL, NE/4NW/	4			11. sac., 7., a., M., on	ALE. AND
						Sec. 8, T5	
14. 733HIZ X	•	IA METATIONS (Show	whether st	7, HT, GA MA.)		12. COUNTY OR PARISH	
43-013-3	31101	5869 GL				Duchesne	Utah
16.	Check A	ppropnate Box To In	dicate h	lature of Notice, Repor	1, or O	ther Data	
	POTICE OF BETTE	70 X 30:		1	4213643	MT APPORT OF:	
2333. MV	733 ANDT-077	PULL OR ALTER CASING		WATTE SHUT-OFF		REPAIRING W	****
PRACTURI	-	MELTIPLE COMPLETE		PRACTURE TREATMENT	XX	ALTERIPS CA	
IO TOOKE	· · · · · · · · · · · · · · · · · · ·	ABAMBON.		SHOUTING OR ACIDISIS	• 🗀	МВ М КО Ч МАВА	7°
(Other)	·****	CHAPER PLANA		(Other)	resulta e	f multiple completion o	- Well
	THIPOSED OR COMPLETED OF	AATIONS (Clearly state at	l pertinent	the pletion or R details, and give pertinent one and measured and true	dates. Is	ion Report and Log fors	m.)
5/21/87	Set 5-1/2" RBP 22 gram charges	a t 4250 ', perf' , 52 holes tota	'd from al.	n 4041 - 4066' w/2 S	SPF, 4	" casing gun,	
5/22/87	Fraced w/88,000 75 7/8" ball se	# 20/40 sand, 1 alers, 100 bbls	L2,000# s KCL p	12/20 sand, 1142 production water.	2 bbls	gel water,	
5/23 to 5/29/87	Swabbed well back on pro			ment, landed tubi	ing at	. 399 7'. Start	ed
						JUN 08 1987	
A						DIVISION OF OIL, GAS & MINING	
BIGNED	P. I. Martin	TITL	r <u>V.P.</u>	O/G Operations		DATE 6-3	87
(This space	for Federal or State office	v⊶)					
APTTOVED) by	TITLE	c			DATE	

SUBMIT IN DUPLICATE. (See other instructions on reverse side)

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING

071503 56 64 01 3	5
-------------------	---

	DIVISION O	F OIL, GAS	, AND MININ	G				######################################
WELL CO	OMPLETIO		COMPLETIC	ON REPOR	T AND L	OG*	4. IF INDIAN. Ute Tr	The
L TYPE OF WI	w w	•	LLXX PAT	111115	(CIRIN		7. UNIT AGE	EMAN THEMS
2. HAME OF OPER	ATOR		E EBVR.		UU 1 0 10	107	Ute Tr	
Coors Energ	y Company				JUL 1 0 19		9. WELL NO. 3-8	
PO Box 467,	Golden, C	Colorado	80402	***	DIVISION	F		POOL, OR WILDCAT
4. LOCATION OF WE	505 FNL,	tion clearly and 1439 глл	ME /NU	ith any State ver	un out ours ye little	NING		pe Creek
At top prod. in	terval reported b	•	TIEN TIM	٠		· [OR AREA	, M., OR BLOCK AND SURVE
At total depth	same						Sec. 8	, T5S-R3W
	same		14. PERMI	'	PATE ISSUED		12. COUNTY OR	12. STATE
15. DATE SPUDDED	16. PATE T.A. I	RACHED 12	43-01	3-31101	5/15/8		Duches	
12/6/85	12/19/	85	5/29/87	ma se breg")	8. ELEVATIONS 5869	GL	, er, etc.)*	19. BLEV. CARIMOREAD
20. TOTAL DETER, MD .	4 TYP 21. PEU	4203		MULTIPLE COMPI	23. 11	TERVALA	ROTARY TOOLS	CABLE TOOLS
24. PRODUCING INTER	VAL(S), OF THIS		POP. BOTTOM. HAM	E (MR AND TYP)		<u> </u>	0-6464	23. WAS DIRECTIONAL
Green River	ND OTHER LOCE I	RUM					27	DO SORALI MADE
13,		CA	SING RECORD (Report all string	e set in well)			•
On original	WEIGHT, LA./	rt. Depth	BET (MD)	MOLE SIZE	CE	HENTING RE	COLD	THOUSE LAFTED
· · · · · · · · · · · · · · · · · · ·					 			_
).	£	INER RECOR	<u> </u>		1 30.	711	BING RECORD	•
4128	TOP (MB)	DOTTOM (MD)	SYCKS CEMENA	• SCRESK (MI			TH SET (ND).	PACERS SET (MD)
		 	 		2-3/8		3997	
. PERFORATION RECO		•		82.	ACID, SHOT,	FRACTUR	E, CEMENT SQ	WEEZE ETC
4041-4066 v	v/2 SPF to	taling 52	holes	DEPTH INT	RYAL (MD)	MOOKA	T AND KIND OF	MATERIAL TRED
				4041-406	06.	<u>88000#</u>		and, 12000# +2 BW
							band, II	· ·
.•			PR	ODUCTION				
Resumed:	PRODUCT		lowing, goo lift,	pumping—sios as		P)	PELL STAT	us (Producing or
5/29/87	Pumpi	ing 2-1/	2" x 1-1/4"	x 16 pur	mpea			Producing
	27		TEST PERIOD	15	30	.	10	2000/1
6/12/87	24		01L-38L	GAS-MC		VATER-BBL.		BAVITY-API (CORR.).
6/12/87	ASING PRESSCRE	CALCULATED 24-HOUR BAT	\$ 1	†				
6/12/87 W. TUBLING PROSE. CA	30	24-HOUR BAT	15	30		10		40+
6/12/87 N. TUBING PRESS. CA	ASING PRESSCRE 30 Sold, wood for fu	24-HOUR BAT	\$ 1	30)	TES	m Simonto	7
6/12/87 W. TUBING PROSE. CA 30 DISPOSITION OF GAS (Sold	ASING PRESSCRE 30 Sold, wood for fu	24-HOUR BAT	\$ 1	30)	TES		7
6/12/87 W. TUBLING PRIME. CA 30 DISPOSITION OF CAS (Sold LIST OF ATTACHMEN	30 (Bold, wood for fu	el, vented, etc.)	15			Ji	m Simonto	on
6/12/87 W. TURING PROME. CA 30 DIAPOSITION OF GAS (Sold	30 (Bold, wood for fu	el, vented, etc.)	15		Ao determined	Ji	m Simonto	on

NSTRUCTIONS

and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.
If not filed prior to the time this aummary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surreys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments submitted, particularly with regard to local, area, or regional procedures and practices, either are abown below or will be issued by, or may be obtained from, the local Federal Any nevessary special instructions concerning the use of this form and the number of copies to be General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency. or both, pursuant to applicable Federal and/or State laws and regulations.

should be listed on this form, see item 85.
Hem 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. Items 22 and 24: If this well is completed for separate production from more than one interval, or intervals, top(s), bottom(s) and name(s) (II any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identibed, for each additional interval.

Item 24: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

liem 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

FORKATION TOP TOTAL	701	NOTE OF	740		
		1	DESCRIPTION, CONTENTS, ETC.		TOF
On orioinal report				NAM NAME NAME NAME NAME NAME NAME NAME N	MEAS. DEFTH TRUB VERT. DEFTH
	· · · · · · · · · · · · · · · · · · ·				



355 West North Temple, 3 Triad Center, Suite 350, Salt Lake City, Ut 84180-1203. ● (801-538-5340)

	2		6
Page		of	



MONTHLY OIL AND GAS PRODUCTION REPORT

Operator name and address:					
•MARYELLEN VIALPANDO COORS ENERGY PO BOX 467 GOLDEN CO 80402-0467				Utah Account No. Report Period (Mo	onth/Year) <u>7 / 92</u>
14	- 1	-	Production Volume	Ic hecel	Tura Stone
API Number Entity Location UTE TRIBAL #2-10 4301331187 09378 05S 03W 10 0	GRRV	Uper 	Oil (BBL) - 14-20-462-3509	Gas (MSCF)	Water (BBL)
UTE TRIBAL 1-33 4301330806 09379 058 03W 33	GRRV		14-20-462-3522		·
	GRRV		14-20-Hb2-3504		
	GRRV	-	14-20-462-3506		
UTE TRIBAL #2-31 4301331188 09382 058 03W 31 UTE TRIBAL 3-7	GRRV		14-20-462-3520		·
	GRRV		14-20-H62-3506		
4301330823 09384 058 03W 3	GRRV		14-20-Hb2-3502 "		· · · · · · · · · · · · · · · · · · ·
UTE TRIBAL 1-8	GRRV		14-20-462-3507	,	
UTE TRIBAL 2-8	GRRV		11		
UTE TRIBAL #3-8	GRRV		1(
UTE TRIBAL #4-8 4301331164 09386 058 03W 8			n ·		
UTE TRIBAL 5-8 4301331307 09386 058 03W 8V (11		
	TO.	TAL			
Comments (attach separate sheet if necess	sary)				
have reviewed this report and certify the i	information to	o be	accurate and complete.	Date	
				Telephone	
Authorized signature				•	



P.O. BOX 467 GOLDEN, COLORADO 80401

September 1, 1992

State of Utah Division of Oil, Gas & Mining 3 Triad Center, Suite 350 355 West North Temple Salt Lake City, Utah 84180-1203 RECEIVED

SEP 0 4 1992

PONSSIVE TAMBER & SEED, BUT

Attn: Mr. Ron Firth

Dear Mr. Firth:

This letter is to advise you that effective September 1, 1992 Coors Energy Company has sold its oil and gas properties located in Duchesne County, Utah to the following Company:

Evertson Oil Company, Inc. P.O. Box 397 Kimball, Nebraska 69145 Mr. Bruce F. Evertson, President Phone No.: (308) 235-4871

The sale includes the following wells:

WELL NAME	API NO.
√State 2-6	43-013-30891
∖Ute Tribal l	43-013-20045
√Ute Tribal 1-10	43-013-30805
⊌Ute Tribal 1-10D	43-013-31211
⊌Ute Tribal 1-15	43-013-30880
√Ute Tribal 1-15D	43-013-30712
Ute Tribal 1-16	43-013-30804
√Ute Tribal 1-17	43-013-30790
⊌Ute Tribal 1-18	43-013-30761
√Ute Tribal 1-19	43-013-30803
√Ute Tribal 1-20	43-013-30764
∨Ute Tribal 1-20D	43-013-31239
∘Ute Tribal 1-21	43-013-30883
∨Ute Tribal 1-24D	43-013-31234

Page 2 Change of Operator Duchesne County, Utah

WE	LI	LI	V.	Α	М	Ε

API NO.

MELL MAIL		ATT NO.
√Úte Tribal	1-28	43-013-30802
√Ute Tribal		43-013-30763
√Ute Tribal		43-013-30823
√Ute Tribal		43-013-30852
⊌Ute Tribal		43-013-30853
√Ute Tribal		43-013-30806
√Ute Tribal		43-013-31242
Vite Tribal		43-013-30762
Ute Tribal		43-013-30785
√Úte Tribal		43-013-30793
√Ute Tribal		43-013-30788
√Ute Tribal		43-013-31198
Vite Tribal		43-013-30759
∨Ute Tribal		43-013-31187
⊌Ute Tribal		43-013-31219
√Ute Tribal		43-013-31200
Ute Tribal		43-013-31166
Ute Triba'l		43-013-
Ute Tribal		43-013-30881
∨Ute Tribal		43-013-30882
√Ute Tribal		43-013-30849
√Ute Tribal		43-013-31097
√Ute Tribal		43-013-31188
Wite Tribal		43-013-30879 (with
√Ute Tribal		43-013-30824
vUte Tribal		43-013-30824
Ute Tribal		43-013-30825
∨Ute Tribal		43-013-30828
Vite Tribal		43-013-31199
∨Ute Tribal		43-013-30789
✓Ute Tribal		43-013-15319
Vite Tribal		43-013-31217
∨Ute Tribal		43-013-31175
√Ute Tribal		43-013-30878
✓Ute Tribal		43-013-30938
vute Tribal		43-013-30828
√Úte Tribal	3-8	43-013-31101
-Ute Tribal	4	43-013-15321
Vite Tribal		43-013-31226
✓Ute Tribal	4-17D	43-013-31201
Ute Tribal	4-18	43-013-31201
√Úte Tribal	4-18D	43-013-31077
VUte Tribal	4-29	
√Ute Tribal	4-4	43-013-30851
Ute Tribal	4-5	43-013-30848
	4-8	43-013-31306
	4-8	43-013-31164
		43-013-31165
VUte Tribal	5	43-013-15322
√Ute Tribal	5-18	43-013-31180
∨Ute Tribal	5-29-E3	43-013-30939

SEP 0 4 1992

DIVISIONOF OIL GARR MINING

Page 3 Change of Operator Duchesne County, Utah

WELI	<u>NAME</u>		API NO.
Vite	Tribal	5-8	43-013-31307
∨Ute	Tribal	6	43-013-15323
∨Ute	Tribal	6-10D	43-013-31236
νUte	Tribal	6-16D	43-013-31204
√Úte	Tribal	6-29	43-013-31305
√Úte	Tribal	6-4	43-013-31100
√Úte	Tribal	7	43-013-15324
∪Ute	Tribal	7-16D	43-013-31221
Vite	Tribal	7-29	43-013-31339
√Úte	Tribal	8	43-013-30028
€ Úte	Tribal	8-16D	43-013-31220
Ute	Tribal	1-21D	43-013-31347
√Úte	Tribal	1-22D	43-013-31349

On this date, we are also notifying the BLM, BIA and the Ute Tribe of this change of operator.

Would you please forward this letter on to anyone else at the State office who might need to have this information. Let us know if we can be of further assistance or if you have any questions.

Very truly yours,

Doug S. Sprague


Manager

Engineering & Operations

DSS:kr

SEP 0 4 1992

PWSDNOF Oil gass a manyo P. O. BOX 397
KIMBALL, NE 69145
308/235-4871



DIVISION OF OIL GAS & MINING

September 21, 1992

Lisha Romero
State of Utah
Department of Natural Resources
Division of Oil, Gas and Mining
355 W. North Temple
3 Triad Center, Suite 350
Salt Lake City, UT 84180-1203

Dear Lisha:

Enclosed please find a listing of wells purchased from Coors Energy Company. These are all the wells on which Evertson Oil Company, Inc. will be taking over operations effective September 1, 1992.

I assume that Coors Energy Company has submitted the change of operator forms as required.

I will be forwarding the bonding information required by the U.S. Department of Interior, Bureau of Indian Affairs, as soon as that information is available.

Should you have any questions or need additional information, please let me know.

Sincerely,

James G. Stephen

JGS/iks enc.

/9258

EVERTSON OIL COMPANY, INC. SCHEDULE OF WELLS

Well Number	Well Name	State	County	Township	Range	Section	Quadrant
1510103	Ute Tribal 1-3	Utah	Duchesne	58	3₩	3	SW/SW
1510104	Ute Tribal 1-4	Utah	Duchesne	58	3W	4	NE/NE
1510105	Ute Tribal 1-5	Utah	Duchesne	58	3W	5	NW/NE
1510106	Ute Tribal 1-6	Utah	Duchesne	58	3W	6	SE/SE
1510107	Ute Tribal 1-7	Utah	Duchesne	58	3 W	7	SE/SW
1510108	Ute Tribal 1-8	Utah	Duchesne	58	3₩	8	NA\NA
1510110	Ute Tribal 1-10	Utah	Duchesne	58	3W	10	NW/NW
1510115	Ute Tribal 1-15	Utah	Duchesne	58	3W	15	NA\NA
1510116	Ute Tribal 1-16	Utah	Duchesne	58	3¥	16	SE/SE
1510117	Ute Tribal 1-17	Utah	Duchesne	58	3W	17	NE/NE
1510118	Ute Tribal 1-18	Utah	Duchesne	58	3₩	18	NE/NE
1510119	Ute Tribal 1-19	Utah	Duchesne	58	3W	19	SE/SE
1510120	Ute Tribal 1-20	Utah	Duchesne	58	3W	20	NW/NE
1510121	Ute Tribal 1-21	Utah	Duchesne	58	3W	21	SW/SW
1510128	Ute Tribal 1-28	Utah	Duchesne	58	3W	28	SM/NR
1510129	Ute Tribal 1-29	Utah	Duchesne	58	3¥	29	NE/SE
1510130	Ute Tribal 1-30	Utah	Duchesne	58	3₩	30	SW/NE
1510132	Ute Tribal 1-32	Utah	Duchesne	58	3W	32	SE/NE
1510133	Ute Tribal 1-33	Utah	Duchesne	58	3¥	33	NW/NW
1510203	Ute Tribal 2-3	Utah	Duchesne	58	3W	3	SE/SW
1510204	Ute Tribal 2-4	Utah	Duchesne	58	3W	4	SW/NE
1510205	Ute Tribal 2-5	Utah	Duchesne	58	3₩	5	SW/SW
1510207	Ute Tribal 2-7	Utah	Duchesne	58	3₩	7	NE/NE
1510208	Ute Tribal 2-8	Utah	Duchesne	58	3W	8	SW/NW
1510209	Ute Tribal 2-9	Utah	Duchesne	5\$	3₩	9	NE/NE
1510210	Ute Tribal 2-10	Utah	Duchesne	58	3W	10	SW/NW
1510216	Ute Tribal 2-16	Utah	Duchesne	58	3W	16	SW/SW
1510218	Ute Tribal 2-18	Utah	Duchesne	58	3W	18	SE/NE
1510220	Ute Tribal 2-20	Utah	Duchesne	5\$	3W	20	SW/NE
1510229	Ute Tribal 2-29	Utah	Duchesne	5\$	3W	29	SE/SE
1510231	Ute Tribal 2-31	Utah	Duchesne	5 S	3W	31	NE/NW
1510304	Ute Tribal 3-4	Utah	Duchesne	5\$	3₩	4	NE/SW

EVERTSON OIL COMPANY, INC. SCHEDULE OF WELLS

Well Number	Well Name	State	County	Township	Range	Section	Quadrant
1510305	Ute Tribal 3-5-E3	Utah	Duchesne	58	3W	5	NW/SE
1510307	Ute Tribal 3-7	Utah	Duchesne	58	3W	7	SE/NE
1510308	Ute Tribal 3-8	Utah	Duchesne	58	3W	8	NE/NW
1510320	Ute Tribal 3-20	Utah	Duchesne	58	3 W	20	SE/NW
1510329	Ute Tribal 3-29	Utah	Duchesne	5 S	3W	29	SE/NW
1510404	Ute Tribal 4-4	Utah	Duchesne	58	3₩	4	SW/SW
1510405	Ute Tribal 4-5	Utah	Duchesne	58	3¥	5	SE/NE
1510408	Ute Tribal 4-8	Utah	Duchesne	58	3₩	8	NW/SW
1510409	Ute Tribal 4-9	Utah	Duchesne	58	3W	9	SW/SE
1510418	Ute Tribal 4-18	Utah	Duchesne	48	3¥	18	NW/NE
1510429	Ute Tribal 4-29	Utah	Duchesne	58	3W	29	NW/NW
1510508	Ute Tribal 5-8	Utah	Duchesne	58	3W	8	SE/NW
1510518	Ute Tribal 5-18	Utah	Duchesne	5 S	3W	18	NE/SE
1510529	Ute Tribal 5-29-E3	Utah	Duchesne	58	3W	29	SW/NE
1510604	Ute Tribal 6-4	Utah	Duchesne	58	3W	4	SE/SW
1510629	Ute Tribal 6-29	Utah	Duchesne	58	3W	29	SE/NE
1510729	Ute Tribal 7-29	Utah	Duchesne	58	3 W	. 29	SE/NE
1520001	Ute Tribal 1	Utah	Duchesne	48	4₩	9	NW/SW
1520003	Ute Tribal 3	Utah	Duchesne	48	4¥	16	SW/NE
1520004	Ute Tribal 4	Utah	Duchesne	48	4W	16	NE/SW
1520005	Ute Tribal 5	Utah	Duchesne	4\$	4W	16	SW/NW
1520006	Ute Tribal 6	Utah	Duchesne	48	4¥	17	SW/NE
1520007	Ute Tribal 7	Utah	Duchesne	48	4₩	17	SW/NW
1520008	Ute Tribal 8	Utah	Duchesne	48	4¥	16	NW/NW
1520103	Ute Tribal 1-3D	Utah	Duchesne	48	4¥	3	SE/SE
1520107	Ute Tribal 1-7D	Utah	Duchesne	48	44	7	SE/SE
1520110	Ute Tribal 1-10D	Utah	Duchesne	48	4W	10	SW/SE
1520115	Ute Tribal 1-15D	Utah	Duchesne	48	4₩	15	SW/NE
1520120	Ute Tribal 1-20D	Utah	Duchesne	48	4₩	20	SW/SW
1520121	Ute Tribal 1-21D	Utah	Duchesne	4\$	4¥	21	NE/NW
1520122	Ute Tribal 1-22D	Utah	Duchesne	48	4W	22	NE/NW
1520124	Ute Tribal 1-24D	Utah	Duchesne	48	5\\	24	NW/NW
						•	,

EVERTSON OIL COMPANY, INC. SCHEDULE OF WELLS

Well Number	Well Name	State	County	Township	Range	Section	Quadrant
1520210	Ute Tribal 2-10D	Utah	Duchesne	48	4W	10	SW/4
1520215	Ute Tribal 2-15D	Utah	Duchesne	48	4 W	15	WA/WA
1520218	Ute Tribal 2-18D	Utah	Duchesne	58	3 W	18	SE/NE
1520310	Ute Tribal 3-10D	Utah	Duchesne	48	4¥	10	SE/SW
1520410	Ute Tribal 4-10D	Utah	Duchesne	48	4W	10	NE/SE
1520417	Ute Tribal 4-17D	Utah	Duchesne	48	4W	17	NW/SE
1520418	Ute Tribal 4-18D	Utah	Duchesne	4\$	4₩	18	NA/NA
1520610	Ute Tribal 6-10D	Utah	Duchesne	48	4¥	10	SE/NE
1520616	Ute Tribal 6-16D	Utah	Duchesne	48	4₩	16	NE/NW
1520716	Ute Tribal 7-16D	Utah	Duchesne	4\$	4₩	16	SE/NE
1520816	Ute Tribal 8-16D	Utah	Duchesne	48	4¥	16	NE/SE
1521009	Coyote Ute Tr. 10-9	Utah	Duchesne	48	4W	9	NW/SE

	TOR CHANGE HORKSHEET	Routing:
	all documentation received by the division regarding this change. each listed item when completed. Write N/A if item is not applicable.	2 - DT\$ 7 - LORI 3 - VLC 4 - RJF
	nge of Operator (well sold) ignation of Operator □ Operator Name Change Only	5- RWM 1 6- ADA 1
The o	perator of the well(s) listed below has changed (EFFECTIVE DATE:	9-01-92
TO (ne	BRUCE F. EVERTSON, PRES. DO phone (308) 235-4871 ph	ORS ENERGY BOX 467 LDEN, COLORADO 80402-0467 UG SPRAGUE, MGR one (303) 278-7030 count no. N 5090
Hell(s	(attach additional page if needed):	
Name: Name: Name: Name: Name:	*SEE ATTACHMENT API: Entity: Sec_Twp_	_Rng Lease Type: _Rng Lease Type: _Rng Lease Type: _Rng Lease Type: _Rng Lease Type:
	OR CHANGE DOCUMENTATION	
٥	(Rule R615-8-10) Sundry or other <u>legal</u> documentation has bee operator (Attach to this form). (feed 4.4-92) (Reg. WIC Form 5)	
	(Rule R615-8-10) Sundry or other <u>legal</u> documentation has been red (Attach to this form). [Rig. 9-14-92] (Rec'd 9-25-92)	
	The Department of Commerce has been contacted if the new operator operating any wells in Utah. Is company registered with the styes, show company file number: #163850 . Eff. 8-24-92	cabove is not currently tate? (yes) no) If
Jef 4.	(attach Telephone Documentation Form to this report). Make comments section of this form. Management review of Federal a changes should take place prior to completion of steps 5 through	note of BLM status in nd Indian well operator 9 below.
fif 5.	Changes have been entered in the Oil and Gas Information System listed above. [11-25-92]	(Wang/IBM) for each well
JA 6.	Cardex file has been updated for each well listed above. (12-3-92)	
JCP 7.	Well file labels have been updated for each well listed above. (//	-35-907
۸	Changes have been included on the monthly "Operator, Address, ar for distribution to State Lands and the Tax Commission.	
JOP 9.	A folder has been set up for the Operator Change file, and a copplaced there for reference during routing and processing of the o	by of this page has been riginal documents.

OPERATOR CHANGE HORKSHEET (CONTINUED) In all each item when completed. Write N/ item is not applicable.
ENTITY. REVIEW
1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/ho) (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
N/A 2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.
BOND VERIFICATION (Fee wells only)
Na 1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
N/A 2. A copy of this form has been placed in the new and former operators' bond files.
N/A 3. The former operator has requested a release of liability from their bond (yes/no) for Joday's date 19 If yes, division response was made by letter dated 19
LEASE INTEREST OHNER NOTIFICATION RESPONSIBILITY
1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated
2. Copies of documents have been sent to State Lands for changes involving State leases.
FILMING
$\sqrt{}$ 1. All attachments to this form have been microfilmed. Date:
FILING
1. Copies of all attachments to this form have been filed in each well file.
2. The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operator Change file.
COMMENTS
92/125 BAn/Vernal "Operator still Coors Energy - Waiting on BIA approval."
92/125 Bhn/Vernal "Operator still Coors Energy - Waiting on BIA approval." 92/125 Operator changed per admin.
 E71/34-35

335 NORTH WASHINGTON • SUITE 140 P.O. BOX 1807 • HUTCHINSON, KS 67504-1807 (316) 665-8500 • FAX (316) 665-5961

VIA FACSIMILE (801) 359-3940

February 16, 1994

Lisha Cordova State of Utah Division of Oil, Gas & Mining 3 Triad Center, Suite 350 355 West North Temple Salt Lake City, Utah 84180-1203 FEB 1 8 1994

Ms. Cordova:

This letter is to advise you that effective February 1, 1994 Evertson Oil Company, Inc. intends to sell and Petroglyph Gas Partners, L.P. intends to purchase oil and gas properties located in Duchesne County, Utah as identified below:

Well Name	API No.
State 2-6	43-013-30891
Ute Tribal 1	43-013-20045
Ute Tribal 1-10	43-013-30805
Ute Tribal 1-10D	43-013-31211
Ute Tribal 1-15	43-013-30880
Ute Tribal 1-15D	43-013-30712
Ute Tribal 1-16	43-013-30804
Ute Tribal 1-17	43-013-30790
Ute Tribal 1-18	43-013-30761
Ute Tribal 1-19	43-013-30803
Ute Tribal 1-20	43-013-30764
Ute Tribal 1-20D	43-013-31239
Ute Tribal 1-21	43-013-30883
Ute Tribal 1-24D	43-013-31234
Ute Tribal 1-28	43-013-30802
Ute Tribal 1-29	43-013-30763
Ute Tribal 1-3	43-013-30823
Ute Tribal 1-30	43-013-30852
Ute Tribal 1-32	43-013-30853
Ute Tribal 1-33	43-013-30806
Ute Tribal 1-3D	43-013-31242
Ute Tribal 1-4	43-013-30762
Ute Tribal 1-5	43-013-30785
Ute Tribal 1-6	43-013-30793
Ute Tribal 1-7	43-013-30788
Ute Tribal 1-7D	43-013-31198

Page 2 Change of Operator Notice Duchesne County, Utah February 16, 1994

Ute Tribal 1-8	43-013-30759
Ute Tribal 2-10	43-013-31187
Ute Tribal 2-10D	43-013-31219
Ute Tribal 2-15D	43-013-31200
Ute Tribal 2-16	43-013-31166
Ute Tribal 2-18	43-013-31166 43-013-3028
Ute Tribal 2-18D	43-013-30881-43-013-31912/Drl.
Ute Tribal 2-20	43-013-30882
Ute Tribal 2-29	43-013-30849
Ute Tribal 2-3	43-013-31097
Ute Tribal 2-31	43-013- 30827 - ³ !!8 %
Ute Tribal 2-4	43-013-30879(ωιω]
Ute Tribal 2-5	43-013-30824
Ute Tribal 2-7	43-013-30825
Ute Tribal 2-8	43-013-30826
Ute Tribal 2-8D	43-013-31199
Ute Tribal 2-9	43-013-30789
Ute Tribal 3	43-013-15319
Ute Tribal 3-10D	43-013-31217 (WIW -) His not comm.
Ute Tribal 3-20	43-013-31175
Ute Tribal 3-29	43-013-30850
Ute Tribal 3-4	43-013-30878
Ute Tribal 3-5-E3	43-013-30938
Ute Tribal 3-7	43-013-30828
Ute Tribal 3-8	43-013-31101
Ute Tribal 4	43-013-15321-(WDX)
Ute Tribal 4-10D	43-013-31226
Ute Tribal 4-17D	43-013-31201
Ute Tribal 4-18	43-013-31099
Ute Tribal 4-18D	43-013-30838
Ute Tribal 4-29	43-013-30851
Ute Tribal 4-4	43-013-30848
Ute Tribal 4-5	43-013-31306
Ute Tribal 4-8	43-013-31164
Ute Tribal 4-9	43-013-31165
Ute Tribal 5	43-013-15322
Ute Tribal 5-18	43-013-31180
Ute Tribal 5-29-E3	43-013-30939
Ute Tribal 5-8	43-013-31307
Ute Tribal 6	43-013-15323
Ute Tribal 6-10D	43-013-31236
Ute Tribal 6-16D	43-013-31204
Ute Tribal 6-29	43-013-31305
Ute Tribal 6-4	43-013-31100
Ute Tribal 7	43-013-15324
Ute Tribal 7-16D	43-013-31221

Page 3 Change of Operator Notice Duchesne County, Utah February 16, 1994

	Man of
Ute Tribal 7-29	43-013-31339 (DRL/
Ute Tribal 8	43-013-30028
Ute Tribal 8-16D	43-013-31220
Ute Tribal 1-21D	43-013-31347
Ute Tribal 1-22D	43-013-31349

Petroglyph Operating Company, Inc., a wholly owned subsidiary of Petroglyph Gas Partners, L.P., will be the operator of these properties. At this time, we request a state assigned operator number.

We are also notifying the BLM, BIA and the Ute Tribe regarding this change of operator. Please forward this letter to anyone in the State office who may need to have this information. If you have any questions or need further assistance, please feel free to contact me at (316) 665-8500.

Sincerely,

Angela R. Bare

Operations Administrator

ARB/ms

LAW OFFICES OF

morris, laing, evans, brock & kennedy, chartered

FOURTH FLOOR, 200 WEST DOUGLAS, WICHITA, KANSAS 67202-3084 TELEPHONE (316) 262-2671 FAX: (316) 262-6226/262-5991

RALPH R. BROCK
JOSEPH W. KENNEDY
ROBERT I. GUENTHNER
DAVID C. ADAMS
KEN M. PETERSON
RICHARD D. GREENE
A. J. SCHWARTZ, JR.
DONALD E. SCHRAG
WILLIAM B. SORENSEN, JR.
DENNIS M. FEENEY

JEFFERY L. CARMICHAEL
ROBERT W. COYKENDALL
ROBERT K. ANDERSON
SUSAN R. SCHRAG
ROBERT E. NUGENT
MICHAEL LENNEN
KARL R. SWARTZ
ROGER L. THEIS
JANA DEINES ABBOTT
RICHARD F. HAYSE*

THOMAS R. DOCKING GERALD N. CAPPS DIANE S. WORTH TIM J. MOORE GARY E. PATTERSON BRUCE A. NEY JANET H. WARD

RESIDENT IN TOPEKA OFFICE ROBERT B. MORTON EVA POWERS OF COUNSEL

VERNE M. LAING RETIRED


LESTER L. MORRIS 1901-1966 FERD E. EVANS, JR. 1919-1991

April 5, 1994

Ms. Lisha Cordoba
Division of Oil, Gas and Mining
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

Re: Petroglyph Gas Partners, L. P.

Dear Ms Cordoba:



I have spoken with you on occasion in the past concerning Petroglyph Gas Partners, L. P.'s acquisition of a 50% interest in a number of oil and gas leases in Utah. Most of these leases are on the Uintah and Ouray, Ute Reservation near Duchesne. I am enclosing the following documents in regard to this acquisition:

- 1. Copy of Collective Bond No. B04528 in the principal amount of \$75,000 by Petroglyph Gas Partners, L. P. and Inland Resources Inc. as principal and Planet Indemnity Company as surety in favor of the Bureau of Indian Affairs;
- 2. Copy of Collective Bond No. B04556 in the principal amount of \$75,000 by Petroglyph Operating Company, Inc. as principal and Planet Indemnity Company as surety in favor of the Bureau of Indian Affairs;
- 3. Copy of Surety Performance Bond in the principal amount of \$45,000 by Petroglyph Operating Company, Inc. as Principal and Planet Indemnity Company as surety in favor of the U.S. Environmental Protection Agency;

Page 2 April 5, 1994

- 4. Twenty-eight (28) Form 5 Designation of Agent or Operator executed by Inland Resources Inc. designating Petroglyph Operating Company as Operator of the wells described therein, in triplicate;
- 5. Twenty-eight (28) Form 5 Designation of Agent or Operator executed by Petroglyph Gas Partners, L.P. designating Petroglyph Operating Company as Operator of the wells described therein, in triplicate;
- 6. Seventy-five (75) Form 9 Sundry Notice executed by Evertson Oil Company showing the change in Operations from Evertson Oil Company to Petroglyph Operating Company;
- 7. Seventy-five (75) Form 9 Sundry Notice executed by Petroglyph Gas Partners, L. P. showing the change in Operations from Evertson Oil Company to Petroglyph Operating Company;
- 8. UIC Form 5 Transfer of Authority to Inject for the Ute Tribal 2-4 SWDW, in triplicate;
- 9. UIC Form 5 Transfer of Authority to Inject for the Ute Tribal 4 SWDW, in triplicate; and
- 10. UIC Form 5 Transfer of Authority to Inject for the Ute Tribal 3-10D SWDW, in triplicate.

I thank you for your continued assistance with this matter. Please do not hesitate to give me a call if I have overlooked or omitted anything.


Sincerely,

Roger L. Theis For the Firm

RLT:mk

Enclosures

cc: Robert A. Christensen



UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF INDIAN AFFAIRS

BOND NO. B04528

COLLECTIVE BOND

WHOLL ALT MEN BY THESE PRESENTS That We.	PETROGLYPH GAS PARTNERS, L. P. AND INLAND RESOURCES INC.
OF: 335 North Washington, #170, Hutchinson, KS 67501	, as principals
DIANET INDEMNITY COMPANY	
6 /10 17th Ct #1675 Denver CO 80202	as surety, are held and firmly bound unto
. I dead Character in the cum of	seventy-live thousand dorrars (4,2,000),
1 C.1 of the United States for the 1	navment of union, well and clary to be made,
we bind ourselves and each of us, our and each	ach of our heirs, successors, executors,
administrators, and assigns, jointly and ser	verally, firmly by these presents.
Sealed with our seals and dated this $\underline{16}$	th day of March . 19 94 .
gas mining leases on the Uintah and Ouray Red dates and periods of duration, covering land States in trust for individual Indians, or least restrictions against alienation without the his authorized representative, which leases granted or approved by the Secretary of the and the identification of which herein is essuret y hereto.	eservation in the State of Utah, of various ds or interests in lands held by the United bands or tribes of Indians, or subject to consent of the Secretary of the Interior, or and permits have been or may hereafter be Interior, or his authorized representative,

WHEREAS the principal s and suret y agree that the coverage of this bond shall extend to and include all extensions and renewals of the leases and permits covered by this bond, such coverage to continue without any interruption due to the expiration of the term set forth therein.

WHEREAS the surety hereby waives any right to notice of any modification of any such lease or permit, or obligation thereunder whether effected by extension of time for performance, by commitment of such lease to unit, cooperative, or communitization agreement, by waiver, suspension, or change in rental, except an increase thereof, by minimum royalty payment, except an increase thereof, by compensatory royalty payment, or otherwise, this bond to remain in full force and effect notwithstanding.

WHEREAS the principals and surety agree that the neglect or forebearance of any obligee under this bond in enforcing the payment of any rental or royalty or the performance of any other convenant, condition, or agreement of any such lease or permit shall not in any way release the principals and surety, or either of them, from any liability under this bond; and

WHEREAS the principals and surety agree that in the event of any default under any such lease or permit, the obligee may prosecute any claim, suit, action, or other proceeding against the principals and surety, or either of them, without the necessity of joining the other.

is now or may bereafter become a party, and shall observe all the laws of the United States and regulations made, or which shall be made thereunder, for the government of trade and intercouse with Indian tribes, and all rules and regulations that have been or shall hereafter be lawfully prescribed by the Secretary of the Intefior relative to such mining leases and permits, and shall in all particulars comply with the provisions of such leases, permits, rules, and regulations, then this obligation shall be null and void; otherwise, to remain in full force and effect The rate of premium charged on this bond is \$; the total premium paid is Signed and sealed in the presence of WITNESSES: * PETROGLYPH GAS PARTNERS, L. P. PETROGLYPH ENERGY General Partner P. 0. as to P. 0. PLANET INDEMNITY CO Bv: 8 Greenway Plaza / Suite 400 Houston, TX 77046 Mildred L. Massey, Attorney-in-Fact By: 410 17th Street, Suite 1675 8 Greenway Plaza, Suite 400 Denver, CO 80202 Houston, TX 77046 INLAND RESOURCES. INC 475 17th Street, Suite 1500 80202 P. O. Denver, CO as to h KYLE (). MILLER, President Two witnesses to all signatures APPROVED: DEPARTMENT OF THE INTERIOR Bureau of Indian Affairs

Superintendent

Now, if the said principal, herein shall faithfully carry out and observe all the obligations assumed in such leases and permits to which Resources Inc.

GENERAL POWER OF ATTORNEY

CERTIFIED COPY

KNOW ALL MEN BY THESE PRESENTS: That PLANET INDEMNITY COMPANY, a corporation organized and existing under the laws of the State of Colorado, and having its principal office in the City of Denver, Colorado does hereby constitute and appoint:

MILDRED L. MASSEY

its true and lawful attorney-in-fact to execute, seal and deliver for and on its behalf as surety, any and all bonds and undertakings, recognizances, contracts of indemnity and other writings obligatory in the nature thereof, which are or may be allowed, required or permitted by law, statute, rule, regulation, contract or otherwise, in an amount not to exceed:

and the execution of all such instrument(s) in pursuance of these presents, shall be binding upon said PLANET INDEMNITY COMPANY as fully and amply, to all intents and purposes, as if the same had been duly executed and acknowledged by its regularly elected officers at its principal office.

This Power of Attorney is executed, and may be cerified to and may be revoked, pursuant to and by authority of Article V, Section 6(C) of the By-Laws adopted by the Board of Directors of PLANET INDEMNITY COMPANY, at a meeting called and held on this third day of March, 1987, of which the following is a true transcript of said Section 6(C):

"The President or any Vice President, Assistant Vice President, Secretary or Resident Secretary shall have power and authority

- (1) To appoint Attorneys-in-fact, and to authorize them to execute on behalf of the Company, and attach the Seal of the Company thereto, bonds and undertakings, recognizances, contracts of indemnity and other writings obligatory in the nature thereof, and
- (2) to appoint special Attorneys-in-fact, who are hereby authorized to certify to copies of any power-of-attorney issued in pursuance of this section and/or any of the By-laws of the Company, and
- (3) to remove, at any time, any such Attorney-in-fact or Special Attorney-in-fact and revoke the authority given to him."

Further, this Power of Attorney is signed and sealed by facsimile pursuant to resolution of the Board of Directors of said Company adopted at a meeting duly called and held on the third day of March, 1987, of which the following is a true excerpt:

"Now therefore the signatures of such officers and the seal of the Company may be affixed to any such power of attorney or any certificate relating thereto by facsimile, and any such power of attorney or certificate bearing such facsimile signatures or facsimile seal shall be valid and binding upon the Company and any such power so executed and certified by facsimile signatures and facsimile seal shall be valid and binding upon the Company in the future with respect to any bond or undertaking to which it is attached."

IN TESTIMONY WHEREOF, PLANET INDEMNITY COMPANY has caused this instrument to be signed and its corporate seal to be affixed by its authorized officer, E. H. Frank, III, on this the twenty eighth day of August, 1991.

SEAL SCOOLS

Presiden

STATE OF COLORADO COUNTY OF DENVER

On this 28th Day of August, 1991, before me came the individual who executed the preceding instrument, to me personally known, and, being duly sworn, said that he is the therein described and authorized officer of PLANET INDEMNITY COMPANY; that the seal affixed to said instrument is the Corporate Seal of said Company; that the said Corporate Seal and his signature were duly affixed by order of the Board of Directors of said Company.

IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed my Official Seal, at the city of Denver, Colorado, the day

and year first above written.

Notary Public, Denver County, Colorado

CERTIFICATION


I, the undersigned officer of PLANET INDEMNITY COMPANY, do hereby certify that I have compared the foregoing copy of the Power of Attorney and affidavit, and the copy of the Section of the By-Laws of said Company as set forth in said Power of Attorney, and that the same are correct transcripts thereof, and of the whole of the said originals, and that the said Power of Attorney has not been revoked and is now in full force and effect.

IN TESTIMONY WHEREOF, I have hereunto set my hand this _	16th day of	March	, 1994
,	(SEA)	Hay E Clubon Greg E. Chilson	_Assistant Secretary

Only a certified copy of Power of Attorney bearing the Certificate of Authority No. printed in red on the upper right corner is binding. Photocopies, carbon copies or other reproductions of this document are invalid and not binding upon the Company.

ANY INSTRUMENT ISSUED IN EXCESS OF THE PENALTY AMOUNT STATED ABOVE IS TOTALLY VOID AND WITHOUT

VALIDITY.



UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF INDIAN AFFAIRS

BOND NO. B04556

	I bearing	WALL CHAN		22 Car. 10 . 20		
The state of the s	DIV.	ÛF	OIL,	GAS	Ċ	Bilesussus

COLLECTIVE BOND

KNOW ALL MEN BY THESE PRESENTS, That we, PETROGLYPH OPERATING COMPANY, INC.	
OF: 335 North Washington, Suite 170, Hutchinson, KS 67501 , as principal	
and PLANET INDEMNITY COMPANY	
of 410 17th Stree, #1675, Denver, CO 80202, as surety, are held and firmly bound un the United States of America in the sum of seventy-five thousand dollars (\$75,000), lawful money of the United States, for the payment of which, well and truly to be mad we bind ourselves and each of us, our and each of our heirs, successors, executors, administrators, and assigns, jointly and severally, firmly by these presents.	
Sealed with our seals and dated this 16th day of March 19 94	4
The condition of this obligation is such that whereas the said principal, as lessed has heretofore or may hereafter enter into or otherwise acquire an interest in oil gas mining leases on the Uintah and Ouray Reservation in the State of Utah, of various dates and periods of duration, covering lands or interests in lands held by the United States in trust for individual Indians, or bands or tribes of Indians, or subject to restrictions against alienation without the consent of the Secretary of the Interior, his authorized representative, which leases and permits have been or may hereafter be granted or approved by the Secretary of the Interior, or his authorized representative and the identification of which herein is expressly waived by both principal and suret y hereto.	s d or e,
WHEREAS the principal and suret y agree that the coverage of this bond shall extent and include all extensions and renewals of the leases and permits covered by this bond, such coverage to continue without any interruption due to the expiration of the term set forth therein.	
WHEREAS the surety hereby waives any right to notice of any modification of any such lease or permit, or obligation thereunder whether effected by extension of time for performance, by commitment of such lease to unit, cooperative, or communitization agreement, by waiver, suspension, or change in rental, except an increase thereof, by minimum royalty payment, except an increase thereof, by compensatory royalty payment, or otherwise, this bond to remain in full force and effect notwithstanding.	
WHEREAS the principal and surety agree that the neglect or forebearance of any obligee under this bond in enforcing the payment of any rental or royalty or the performance of any other convenant, condition, or agreement of any such lease or perm shall not in any way release the principal and surety, or either of them, from any liability under this bond; and	it
WHEREAS the principal and surety agree that in the event of any default under any such lease or permit, the obligee may prosecute any claim, suit, action, or other proceeding against the principal and surety, or either of them, without the necessity of joining the other.	

is now or may bereafter become a party, and shall observe all the laws of the United Sta es and regulations made, or which shall be made thereunder, for the government of trade and intercouse with Indian tribes, and all rules and regulations those have been or shall hereafter be lawfully prescribed by the Secretary of the Interior relative to such mining leases and permits, and shall in all particulars comply with the provisions of such leases, permits, rules, and regulations, then this obligation shall be null and vold; otherwise, to remain in full force and effect. ; the total premium The rate of premium charged on this bond is \$ paid is Signed and sealed in the presence of WITNESSES:* OPERATING COMPANY, INC. R. A. CHRISTENSEN, P. 0. PLANET INDEMNITY COM 8 Greenway Plaza, Suite 400 Houston, Texas 77046 Mildred L. Massey, Attorney-in-Fact 410 17th Street, Suite 1675 8 Greenway Plaza, Suite 400 Denver, CO 80202 Houston, Texas 77046 475 17th Street, Suite 1500 P. O. Denver. CO 80202 475 17th Street, Suite 1500 80202 Two witnesses to all signatures DEPARTMENT OF THE INTERIOR APPROVED: Bureau of Indian Affairs

Superintendent

Now, if the said principal, herein shall faithfully carry out and observe all

the obligations assumed in such leases and permits to which Petroglyph Operating Company, In

GENERAL POWER OF ATTORNEY

CERTIFIED COPY

KNOW ALL MEN BY THESE PRESENTS: That PLANET INDEMNITY COMPANY, a corporation organized and existing under the laws of the State of Colorado, and having its principal office in the City of Denver, Colorado does hereby constitute and appoint:

ROY C. DIE

its true and lawful attorney-in-fact to execute, seal and deliver for and on its behalf as surety, any and all bonds and undertakings, recognizances, contracts of indemnity and other writings obligatory in the nature thereof, which are or may be allowed, required or permitted by law, statute, rule, regulation, contract or otherwise, in an amount not to exceed:

and the execution of all such instrument(s) in pursuance of these presents, shall be binding upon said PLANET INDEMNITY COMPANY as fully and amply, to all intents and purposes, as if the same had been duly executed and acknowledged by its regularly elected officers at its principal office.

This Power of Attorney is executed, and may be cerified to and may be revoked, pursuant to and by authority of Article V, Section 6(C) of the By-Laws adopted by the Board of Directors of PLANET INDEMNITY COMPANY, at a meeting called and held on this third day of March, 1987, of which the following is a true transcript of said Section 6(C):

"The President or any Vice President, Assistant Vice President, Secretary or Resident Secretary shall have power and authority

- To appoint Attorneys-in-fact, and to authorize them to execute on behalf of the Company, and attach the Seal of the Company thereto, bonds and undertakings, recognizances, contracts of indemnity and other writings obligatory in the nature thereof, and
- to appoint special Attorneys-in-fact, who are hereby authorized to certify to copies of any power-of-attorney issued in pursuance (2) of this section and/or any of the By-laws of the Company, and
- to remove, at any time, any such Attorney-in-fact or Special Attorney-in-fact and revoke the authority given to him."

Further, this Power of Attorney is signed and sealed by facsimile pursuant to resolution of the Board of Directors of said Company adopted at a meeting duly called and held on the third day of March, 1987, of which the following is a true excerpt:

"Now therefore the signatures of such officers and the seal of the Company may be affixed to any such power of attorney or any certificate relating thereto by facsimile, and any such power of attorney or certificate bearing such facsimile signatures or facsimile seal shall be valid and binding upon the Company and any such power so executed and certified by facsimile signatures and facsimile seal shall be valid and binding upon the Company in the future with respect to any bond or undertaking to which it is attached."

IN TESTIMONY WHEREOF, PLANET INDEMNITY COMPANY has caused this instrument to be signed and its corporate seal to be affixed by its authorized officer, E. H. Frank, III, on this the twenty eighth day of August, 1991.

STATE OF COLORADO COUNTY OF DENVER

On this 28th Day of August, 1991, before me came the individual who executed the preceding instrument, to me personally known, and, being duly sworn, said that he is the therein described and authorized officer of PLANET INDEMNITY COMPANY; that the seal affixed to said instrument is the Corporate Seal of said Company; that the said Corporate Seal and his signature were duly affixed by order of the Board of Directors of said Company.

IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed my Official Seal, at the city of Denver, Colorado, the day

and year first above written.

Notary Public, Denver County, Colorado

CERTIFICATION

I, the undersigned officer of PLANET INDEMNITY COMPANY, do hereby certify that I have compared the foregoing copy of the Power of Attorney and affidavit, and the copy of the Section of the By-Laws of said Company as set forth in said Power of Attorney, and that the same are correct transcripts thereof, and of the whole of the said originals, and that the said Power of Attorney has not been revoked and is now in full force and effect.

IN TESTIMONY WHEREOF, I have hereunto set my hand this ___

Hay E Chilom Assistant Secretary
Greg E. Chilson

Only a certified copy of Power of Attorney bearing the Certificate of Authority No. printed in red on the upper right corner is binding. Photocopies, carbon copies or other reproductions of this document are invalid and not binding upon the Company. ANY INSTRUMENT ISSUED IN EXCESS OF THE PENALTY AMOUNT STATED ABOVE IS TOTALLY VOID AND WITHOUT VALIDITY.

UN1021 (11/93)

STATE OF UTAH IVISION OF OIL. GAS AND MINING

DIVISION OF OIL GAS AND MININ	1 G	
		5. Lease Designation and Serial Number: 14-20-H62-3507
SUNDRY NOTICES AND REPORTS	8. 8 Indian, Alottee of Tribe Name: .UTE TRIBAL	
Do not use this form for proposals to drill new wells, deepen existing wells, or to reented. Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for su	or plugged and abandoned wells. uch proposals.	7. Unit Agreement Name: Ñ/A
1. Type of West: OIL A GAS OTHER:		8. Well Name and Number: Ute Tribal 3-8.
2 Name of Operator: PETROGLYPH OPERATING COMPANY, I	NC.	8. API Well Number: 31101
P. O. BOX 1807, Hutchinson, KS 67504-	316-665- 1807 8500	10 Field and Pool or Wildcat Antelope Creek Field Green River Pool
4. Location of Well Footbook: 505'FNL & 1439'FWL		COUNTY: DUCHESNE
NE NW 8- T5S-R3W, U.S.M.		Some: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPOR	RT, OR OTHER DATA
NOTICE OF INTENT (Submit in Duplicate)		UENT REPORT riginal Form Only)
Abandonment New Construction Casing Repair Pull or Atter Casing Change of Plans Recompletion Conversion to injection Shoot or Acidize Fracture Treat Vent or Flare Multiple Completion Water Shut-Off Other CHANGE OF OPERATOR Approximate date uppromitissing 3-1-94	☐ Abandonment ☐ Casing Repair ☐ Change of Pians ☐ Conversion to Injection ☐ Fracture Treat ☐ Other ☐ Date of work completion ☐ Report results of Multiple Completions an COMPLETION OR RECOMPLETION AND I	
12. DESCRIBE PROPOSED OF COMPLETED OPERATIONS (Crearly state all pertinent details, and physicical depths for all markers and zones pertinent to this work) change of operator from Evertson Petroglyph Operating Company, Inc.	Oil Company, Inc.	to
PETROCKYPH OPERATING COMPANY, INC	C. Progidon	+ 25-94

R. A. CHRISTENSEN

R. A.
(This space for State use only)

STATE OF UTAH. DIVISION OF OIL GAS AND MINING

DIVISION OF OIL GAS AND MININ	IG
DIVISION OF OIL GAS AND MINNIN	5. Lease Designation and Serial Number: 14-20-H62-3507
SUNDRY NOTICES AND REPORTS	ON WELLS 8. If Indian, Allottee or Tribe Name: UTE TRIBAL
Do not use this form for proposals to drill new wells, deepen existing wells, or to reente Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for su	r plugged and abandoned wells. on proposals. \tilde{N}/A
1. Type of West: OIL S GAS OTHER:	8. Well Name and Number: Ute Tribal 3-8.
2 Name of Operator: EVERTSON OIL COMPANY, INC.	8. API Well Number: 43-013-
2. Address and Telephone Number: P. O. Box 397, Kimball, NE 69145 308-235-	10. Field and Pool or Wilsont Antelope Creek Field Green River Pool
4. Location of Well Focusion: 505'FNL & 1439'FWL	County: DUCHESNE
™ NE NW 8- T5S-R3W, U.S.M.	Sente: UTAH
	ATURE OF NOTICE, REPORT, OR OTHER DATA
	SUBSEQUENT REPORT
NOTICE OF INTENT (Submit in Duplicate)	(Submit Original Form Only)
Abandonment	Abandonment New Construction Casing Repair Pull or Alter Casing Change of Plans Shoot or Acidize Conversion to Injection Vent or Flare Fracture Treat Water Shut-Off Other Date of work completion Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.
12 DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all perbonent details, and pi vertical depose for all markers and zones pertinent to this work) change of operator from Evertson Oi Petroglyph Operating Company, Inc.	l Copmany, Inc. to
EVERTSON OIL COMPANY, INC. Name & Signature: Brace F. Evertson	Tible: V. President Date: 2-25-94
This areas for first tree and	·

Kee Instructions on Reverse Sidel

STATE OF UTAH DIVISION OF OIL, GAS AND MINING


DESIGNATION OF AGENT OR OPERATOR
The undersigned is, on record, the holder of oil and gas lease
LEASE NAME: UTE TRIBAL
LEASE NUMBER: 14-20-H62-3507
and hereby designates
NAME: PETROGLYPH OPERATING COMPANY, INC.
ADDRESS: P.O.Box 1807, Hutchinson, KS 67504-1807
as his agent
Describe acreage to which this designation is applicable, and identity each applicable oil and pas well by name and API number. Attach additional pages as needed.)
T5S-R3W, U.S.M. ALL SEC. 8
UTE 1-8, 43-013-30759; UTE 2-8, 43-013-30826; UTE 3-8, 43-013-3 1101; UTE 4-8, 43-013-31164; UTE 5-8, 43-013-31307
Duchesne County, Utah Div. Of OIL GAS & MINICA
It is understood that this designation of agent/operator does not relieve the lessee of responsibility for compliance with the term of the lease and the Oil and Gas Conservation General Rules and Procedural Rules of the Board of Oil, Gas and Mining of the State of Utah. It is also understood that this designation of agent or operator does not constitute an assignment of any interest in the lease.
In case of default on the part of the designated agent/operator, the lessee will make full and prompt compliance with all rules lease terms or orders of the Board of Oil, Gas and Mining of the State of Utah or its authorized representative.
The lessee agrees to promptly notify the Division Director or Authorized Agent of any change in this designation.
Effective Date of Designation: 3-1-94 PETROGLYPH GAS PARTNERS, L.P. BY: (Name) ROBERT C. MURDOCK OF: (Company) BY PETROGLYPH ENERGY, INC.,
GENERAL PARTNER
(Signature) Later ("Millian (Address) P. O. BOX 1807
(Tale) PRESIDENT OF PETROGLYPH ENERGY, Hutchinson, KS 67504-1807 INC.
316-665-8500

FORM \$	STATE OF UTAH DIVISION OF OIL GAS AND MINING
	DESIGNATION OF AGENT OR OPERATOR
	
The undersign	ned is, on record, the holder of oil and gas lease
LEASE NA	ME: UTE TRIBAL
	MBER:
and hereby d	esignates
NAME:	PETROGLYPH OPERATING COMPANY, INC.
•	P. O. BOX 1807, Hutchinson, KS 67504-1807
applicable the compliance wi	Dioperator 否, with full authority to act in his behalf in complying with the terms of the lease and regulation ereto and on whom the Division Director or Authorized Agent may serve written or oral instructions in securing ith the Oil and Gas Conservation General Rules and Procedural Rules of the Board of Oil, Gas and Mining of the with respect to:

T5S-R3W, U.S.M. ALL SEC. 8

UTE 1-8, 43-013-30759; UTE 2-8, 43-013-30826; UTE 3-8, 43-013-3 1101; UTE 4-8, 43-013-31164; UTE 5-8, 43-013-31307

Duchesne County, Utah



It is understood that this designation of agent/operator does not relieve the lessee of responsibility for compliance with the terms of the lease and the Oil and Gas Conservation General Rules and Procedural Rules of the Board of Oil, Gas and Mining of the State of Utah. It is also understood that this designation of agent or operator does not constitute an assignment of any interest in the lease.

In case of default on the part of the designated agent/operator, the lessee will make full and prompt compliance with all rules. lease terms or orders of the Board of Oil, Gas and Mining of the State of Utah or its authorized representative.

The lessee agrees to promptly notify the Division Director or Authorized Agent of any change in this designation.

Effe	ctive Date	of Designation: 3-1-94	·	
	•	KYLE R. MILLER	OF: (Company)_	INLAND RESOURCES INC.
	(Signature)	Kylll	(Address) _	475 Seventeenth St., Suite 1500
	(True)	President	· -	Denver, CO 80202
	(Phone)	303-292-0900	-	

LAW OFFICES OF

morris, laing, evans, brock & kennedy, chartered

FOURTH FLOOR, 200 WEST DOUGLAS, WICHITA, KANSAS 67202-3084 TELEPHONE (316) 262-2671 FAX: (316) 262-6226/262-5991

RALPH R. BROCK
JOSEPH W. KENNEDY
ROBERT I. GUENTHNER
DAVID C. ADAMS
KEN M. PETERSON
RICHARD D. GREENE
A. J. SCHWARTZ, JR.
DONALD E. SCHRAG
WILLIAM B. SORENSEN, JR.
DENNIS M. FEENEY

JEFFERY L. CARMICHAEL ROBERT W. COYKENDALL ROBERT K. ANDERSON SUSAN R. SCHRAG ROBERT E. NUGENT MICHAEL LENNEN KARL R. SWARTZ ROGER L. THEIS JANA DEINES ABBOTT RICHARD F. HAYSE* THOMAS R. DOCKING GERALD N. CAPPS DIANE S. WORTH TIM J. MOORE GARY E. PATTERSON BRUCE A. NEY JANET H. WARD

RESIDENT IN TOPEKA OFFICE ROBERT B. MORTON EVA POWERS OF COUNSEL

VERNE M. LAING

LESTER L. MORRIS 1901-1966 FERD E. EVANS, JR. 1919-1991

April 25, 1994

Ms. Lisha Cordoba
Division of Oil, Gas and Mining
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

Re: Petroglyph Gas Partners, L. P.

Dear Ms Cordoba:

Enclosed in triplicate per our recent conversations are Sundry Notices pertaining to the Ute Tribal 1-29, 2-5, 5-29E3, and #8 wells which were inadvertently initially overlooked in this transaction as follows:

- 1. Form 9 Sundry Notice executed by Evertson Oil Company showing the change in Operations from Evertson Oil Company to Petroglyph Operating Company;
- 2. Form 9 Sundry Notice executed by Petroglyph Gas Partners, L. P. showing the change in Operations from Evertson Oil Company to Petroglyph Operating Company;

I thank you for your continued assistance with this matter. Please do not hesitate to give me a call if you need anything further.

Sincerely,

Roger L. Theis For the Firm

RLT:mk

Enclosures

cc: Robert A. Christensen



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Vernal District Office 170 South 500 East Vernal, Utah 84078-2799

IN REPLY REFER TO: 3162.3 (UT08438)

JUN 3 0 1894

Petroglyph Operating Company, Inc. P.O. Box 1839 Hutchinson, KS 67504-1839

Re: See attached list for the

well numbers and lease

numbers

Duchesne County, Utah

Gentlemen:

This correspondence is in regard to the self-certification statement submitted requesting a change in operator for the referenced wells. After a review by this office, the change in operator request is approved. Effective immediately, Petroglyph Operating Company, Inc., is responsible for all operations performed on the referenced wells. All liability will now fall under your bond, a \$75,000 BIA Collective Bond, for all operations conducted on the referenced wells on the leased land.

If you have any other questions concerning this matter, please contact Margie Herrmann or Pat Sutton of this office at (801) 789-1362.

Sincerely,

Howard B. Cleavinger II

Assistant District Manager for Minerals

cc:

Evertson Oil Company

BIA

Township 5 South, Range 3 West, USM

Township 5 South, Range 3 West, USM			
ease No.	Section No.	Well Name	Location
4-20H62-3502	3	Ute Tribal 1-3 Ute Tribal 2-3	SWSW SESW
.4-20-H62-3503	4	Ute Tribal 1-4 Ute Tribal 2-4 SWD Ute Tribal 3-4 Ute Tribal 4-4 Ute Tribal 6-4	NENE SWNE NESW SWSW SESW
L4-20-H62-3504	5	✓Ute Tribal 1-5 ✓Ute Tribal 2-5 ✓Ute Tribal 3-5 E3 ✓Ute Tribal 4-5	SWNE SWSW NWSE SENE
L4-20-H62-3505	6	✓Ute Tribal 1-6* ✓Ute Tribal 3-6	SESE SENE
14-20-H62-3506	7	✓Ute Tribal 1-7* ✓Ute Tribal 2-7 ✓Ute Tribal 3-7	SESW NENE SENE
14-20-H62-3507	8	√Ute Tribal 1-8 √Ute Tribal 2-8 √Ute Tribal 3-8 √Ute Tribal 4-8 √Ute Tribal 5-8	NWNW SWNW NENW NWSW SENW
14-20-H62-3508	9	✓Ute Tribal 2-9 ✓Ute Tribal 4-9	NENE SWSE
14-20-H62-3509	10	√Úte Tribal 1-10 √Úte Tribal 2-10	NWNW NENW
(*) = Lease No. incorrect on Sundry Notice submitted			

Lease	No.	Section No.	Well Name	Location
14-20-1	162-3510	15	✓Ute Tribal 1-15	NWNW
14-20-1	H62-3511	16	✓ Ute Tribal 1-16* ✓Ute Tribal 2-16	SESE SWSW
14-20-1	162-4633	17	✓Ưte Tribal 1-17*	NENE
14-20-1	H62-3513	18	✓Ute Tribal 1-18 ✓Ute Tribal 2-18 ✓Ute Tribal 4-18 ✓Ute Tribal 5-18	NENE SENE NWNE NESE
14-20-1	H62-3514	19	✓Ute Tribal 1-19	SESE
14-20-1	H62-3515	20	✓Ute Tribal 1-20 ✓Ute Tribal 2-20 ✓Ute Tribal 3-20*	NWNE SWNE SENW
14-20-	H62-3516	21	✓Ute Tribal 1-21	SWSW
14-20-	H62-3517	28	√Ute Tribal 1-28	SWNW
14-20-	H62-3518	29	Ute Tribal 1-29 Ute Tribal 2-29 Ute Tribal 3-29 Ute Tribal 4-29 Ute Tribal 5-29E3 Ute Tribal 7-29 Ute Tribal 7-29	NESE SESE SENW NWNW SWNE SENE NESE
14-20	H62-3519	30	Ute Tribal 1-30	SWNE
14-20	-H62-3520	31	✓Ute Tribal 1-31* ✓Ute Tribal 2-31	NWNE NENW
14-20	-H62-3521	32	Ute Tribal 1-32	SENE
14-20	-H62-3522	33	√Úte Tribal 1-33	NENW
1				

Township 4 South, Range 4 West, USM

<u>.ease No.</u>	Section No.	Well Name	Location
14-20-H62-4446	3	√Úte Tribal 1-3D	SESE
L4-20-H62-4453	22	✓Ute Tribal 1-22D	NENW
L4-20-H62-4454	10	√Úte Tribal 6-10D	SENE
L4-20-H62-4455	21	√Úte Tribal 1-21D	NENW
14-20 H62-4465	20	✓Ute Tribal 1-20D	NWNE
14-20-H62-4466	24	√Ute Tribal 1-24D	MMM

Township 4 South, Range 4 West, USM

Lease No.	Section No.	Well Name	Location
1109-IND-5351	7	√Ute Tribal 1-7D	SESE
	8	∨Ute Tribal 2-8D	NWSE
	9	√tte Tribal #1	NWSW
	10	∨Ute Tribal 1-10D	SWSE
	10	∠Úte Tribal 2-10D	SWSW
	10	Ute Tribal 3-10D	SESW
	10	Ute Tribal 4-10D	NESE
	15	√Ute Tribal 1-15D	SWSW
	15	✓ Ute Tribal 2-15D	NWNW
	16	√Ute Tribal #3	SENE
	16	√Ute Tribal #5	SWNW
	16	✓Ute Tribal 6-16D	NENW
	16	Ute Tribal 7-16D	SENE
	- 16	√Ŭte Tribal #8	WNW
	16	√Ute Tribal 8-16D	NESE
	16	√Ute Tribal 14·16D	NENW
	17	∨Ute Tribal #6	SWNE
	17	√Ute Tribal #7	SWNW
	17	Ute Tribal 4-17D	NWSE
	18	Ute Tribal 2-18D	NESE
	18	∠Ute Tribal 418D	WNW

	of Oil, Gas and Mining FOR CHANGE HORKSHEET	Routing!
	all documentation received by the division regarding this change. each listed item when completed. Write N/A if item is not applicable.	2- LWP 7-PL / 3- PT\$/3-SJ - 4- VLC /9-FILE
XXX Char □ Desi	ge of Operator (well sold) □ Designation of Agent gnation of Operator □ Operator Name Change Only	5- RJF V 6- LWP V
The op	erator of the well(s) listed below has changed (EFFECTIVE DATE: <u>2-1-94</u>)
TO (ne	w operator) (address) PO BOX 1839 HUTCHINSON, KS 67504-1839 ANGELA BARE phone (316) 665-8500 PETROGLYPH OPERATING CO. FROM (former operator) (address) (address) FROM (former operator) (address) FROM (former operator) (address) PO BOX 397 KIMBALL, N	Е 69145
	account no. <u>N3800</u> account no	. N 6350
Hell(s) (attach additional page if needed):	
Name: Name: Name: Name: Name:	**SEE ATTACHED** API:	Lease Type: Lease Type: Lease Type: Lease Type: Lease Type: Lease Type:
<u>Lec</u> 1.	(Rule R615-8-10) Sundry or other <u>legal</u> documentation has been received operator (Attach to this form) (leg. 2-24-94) (lec. d. 4-7-94) (Rule R615-8-10) Sundry or other <u>legal</u> documentation has been received from (Attach to this form). (lec. d. 2-18-94) (lec. d. 4-7-94)	
4	The Department of Commerce has been contacted if the new operator above operating any wells in Utah. Is company registered with the state? (ye yes, show company file number: $\frac{\#Col80242}{Lcol80242}$. ($\frac{Lcol80242}{Lcol80242}$.)	۱۱ ۱۱م
	(For Indian and Federal Hells ONLY) The BLM has been contacted regard (attach Telephone Documentation Form to this report). Make note of comments section of this form. Management review of Federal and India changes should take place prior to completion of steps 5 through 9 below.	n well operator
Lec 5.	Changes have been entered in the Oil and Gas Information System (Wang/IBM listed above. $(7-8-94)$	1) for each well
Like.	Cardex file has been updated for each well listed above. 7-11-94	
Trif 7.	Well file labels have been updated for each well listed above. 7-/1-94	
Lec 8.	Changes have been included on the monthly "Operator, Address, and Account for distribution to State Lands and the Tax Commission. (7-6-94)	t Changes" memo
Lec 9.	A folder has been set up for the Operator Change file, and a copy of thiplaced there for reference during routing and processing of the original of	s page has beer Jocuments.

OPERATOR	CHANGE WORKSHEET (CONTINUED) Initial each item when completed. Write N/A if item is not applicable.
ENTITY	REVIEH
Lec 1.	(Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Wer entity changes made? (yes/no) (If entity assignments were changed, attach <u>copies</u> o Form 6, Entity Action Form).
N/42.	State Lands and the Tax Commission have been notified through normal procedures of entity changes.
BOND VI	ERIFICATION (Fee wells only)
NA/1.	(Rule R615-3-1) The new operator of any fee lease well listed above has furnished approper bond.
2.	A copy of this form has been placed in the new and former operators' bond files.
3.	The former operator has requested a release of liability from their bond (yes/no) Today's date 19 If yes, division response was made by letter dated 19
LEASE I	INTEREST OWNER NOTIFICATION RESPONSIBILITY
(T\$,	(Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated 19, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
<u>fa</u> 2.	Copies of documents have been sent to State Lands for changes involving State leases.
FILMING	
1.	All attachments to this form have been microfilmed. Date: July 28 1994.
FILING	
1.	Copies of all attachments to this form have been filed in each well file.
	The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operator Change file.
COMMENT	S
940706	Btm/ Vernal Apro. 6-30-94.
*	(1 St. lease well handled separately)

WE71/34-35

UNITED STATES DEPARTMENT OF THE INTERIOR

give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

19 m	

FORM APPROVED Budget Bureau No. 1004-0135

	LAND MANAGEMENT	Expires: March 31, 1993 5. Lease Designation and Serial No. 14-20-H62-3507
Do not use this form for proposals to d	AND REPORTS ON WELLS rill or to deepen or reentry to a different reservoir. OR PERMIT—" for such proposals	6 1 Indian. Allottee or Tribe Name Ute Indian Tribe
SUBMIT	T IN TRIPLICATE	7. If Unit or CA, Agreement Designation
i. Type of Well Soil Well Gas Well Other		14-20-H62-4650 8. Well Name and No.
2. Name of Operator Petroglyph Operating Compa	ny. Inc	Ute Tribal 3-8
3. Address and Telephone No.		43-013-31101
4. Location of Well (Footage, Sec., T., R., M., or Survey D	inson, KS 67502 (316) 665–8500 (secription)	10. Field and Pool, or Exploratory Area Antelope Creek
505' FNL &1439' FWL NE NW Sec. 8-T5S-R3W		11. County or Parish, State Duchesne County, Utah
CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPOR	T, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
Notice of Intent Subsequent Report Final Abandonment Notice	Abandonment Recompletion Plugging Back Casing Repair Altering Casing	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection
	Other frac treatment	Dispose Water (Note: Report results of multiple completion on Werl: Completion or Recompletion Report and Log form.)

Perforated 5140'-46', 5132'-36', 5126'-30' with 4 spf (59 shots). 2-8-95

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled,

2-9-95 Broke down D7 perfs @ 1900 psi. Est. rate 5 bpm @ 2930 psi. Frac down tubing with 13230 gallons 35# Borate x-linked gel FW, 600# 100 mesh sand, 3700# 20/40 sand, and 22700# 16/30 sand.

AA			
14. I hereby certify that the foregoing is true and correct Signed	Tide President	Date 2-2	8–95
(This space for Federal or State office use)			
Anoroved by	Title	Date	

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

2-9-95

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

MAY 1 8 1995

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

tase Designation and Serial No -20-H62-3507

SUNDRY NOTICES	S AND REPORTS ON WELLS- OU CAR A SAN	14 20 1102-3307
Do not use this form for proposals to d	AND REPORTS ON WELL OF OIL GAS & MI	NING I Indian. Allottee or Tribe Name
Use "APPLICATION FO	OR PERMIT—" for such proposals	Ute Indian Tribe
SUBMI	T IN TRIPLICATE	7. If Unit or CA, Agreement Designation
1. Type of Well		→ 14-20-н62-4650
X Oil Gas Other		8. Well Name and No.
2. Name of Operator		Ute Tribal 3-8
Petroglyph Operating Compa	iny, Inc.	9. API Well No.
3. Address and Telephone No.		43-013-31101
	inson, KS 67502 (316) 665-8500	10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey I	Description)	Antelope Creek
505' FNL & \439' FWL NE NW Sec. 8-T5S-R3W		11. County or Parish, State
NE NW Sec. 0-135-KSW		Duchesne County, Utah
CHECK APPROPRIATE BOX	(s) TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
Notice of Intent	Abandonment	Change of Plans
X Subsequent Report	Recompletion	New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
Final Abandonment Notice	Casing Repair	Water Shut-Off
— The House House	☐ Altering Casing ☐ Other frac treatment	Conversion to Injection
		Dispose Water (Note: Report results of multiple completion on We)
Sescribe Proposed or Completed Operations (Clearly state all give subsurface locations and measured and true vertice)	l pertinent details, and give pertinent dates, including estimated date of starting	Completion or Recompletion Report and Log form.) g any proposed work. If well is directionally drilled,
o The state of the	of deaths for all markets and account to the state of the	
	al depths for all markers and zones pertinent to this work.)*	
	al depths for all markers and zones pertinent to this work.)*	
	al depths for all markers and zones pertinent to this work.)*	

AA/		
14. I hereby certify that the foregoing is true and correct Signed Wellacus	Tide President	2-28-95
(This space for Federal or State office use)		Date
Anoroved by	Title	Date

mesh sand, 3700# 20/40 sand, and 22700# 16/30 sand.

Broke down D7 perfs @ 1900 psi. Est. rate 5 bpm @ 2930 psi. Frac

down tubing with 13230 gallons 35# Borate x-linked gel FW, 600# 100

UNITED STATES

DEPARTMENT OF THE INTERIOR

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

BUKEAU OF	LAND MANAGEMENT	5. Lease Designation and Serial No.
SUNDRY NOTICES	5. Lease Designation and Serial No. 14-20-H62-3507	
Do not use this form for proposals to c	6. If Indian, Allottee or Tribe Name	
Use "APPLICATION FO	Ute Indian Tribe	
SUBMI	T IN TRIPLICATE	7. If Unit or CA, Agreement Designation
1. Type of Well Gas Gas		14-20-н62-4650
Well Well Other Name of Operator		8. Well Name and No.
Petroglyph Operating Compa	any, Inc.	Ute Tribal 3-8
3. Address and Telephone No. 6209 N. Highway 61 Hutch	2000 VC (7500 (216) 655 050	43-013-31101
4. Location of Well (Footage, Sec., T., R., M., or Survey I	ainson, KS 67502 (316) 665-8500	10. Field and Pool, or Exploratory Area Antelope Creek
505' FNL & 439' FWL		11. County or Parish, State
NE NW Sec. 8-T5S-R3W		Duchesne County, Utah
12. CHECK APPROPRIATE BOX	(s) TO INDICATE NATURE OF NOTICE, REPOR	_
TYPE OF SUBMISSION		I, OR OTHER DATA
Notice of Intent	TYPE OF ACTION	
Control of Intell	Abandonment	Change of Plans
Subsequent Report	Recompletion	New Construction
	Plugging Back Casing Repair	Non-Routine Fracturing
Final Abandonment Notice	Altering Casing	Water Shut-Off
	Other frac treatment	Conversion to Injection
		Dispose Water (Note: Report results of multiple completion on West
2-8-95 Perforated 2-9-95 Broke down down tubing	al depths for all markers and zones pertinent to this work.)* 5140'-46', 5132'-36', 5126'-30' with 4 D7 perfs @ 1900 psi. Est. rate 5 bpm with 13230 gallons 35# Borate x-linke 3700# 20/40 sand, and 22700# 16/30 san JUL 10 1995	@ 2930 psi. Frac ed gel Fw. 600# 100
4. I hereby certify that the foregoing is true and correct	DIV. OF OIL, GAS 8 M	encontractory FB Suffer survey
Signed Thursey	Tide President	2-28-95
(This space for Federal or State office use)		
· MOVED DY	Title	Date
litions of approval, if any:		_ Date

UNITED STATES DEPARTMENT OF THE INTERIOR

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

BUREAU OF LAND MANAGEMENT

FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993

5. Lease Designation and Serial No.

14-20-H62-3507

6. If Indian, Allottee or Tribe Name

1]

Ute Indian Tribe

Use "APPLICATION FO	Ute Indian Tribe	
SUBMI	7. If Unit or CA, Agreement Designation	
1. Type of Well Soil Gas Other		14-20-H62-4650 8. Well Name and No. Ute Tribal 3-8 9. API Well No. 43-013-31101 10. Field and Pool, or Exploratory Area Antelope Creek 11. County or Parish, State Duchesne County, UT
12. CHECK APPROPRIATE BOX	(s) TO INDICATE NATURE OF NOTICE, REPO	DRT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	V
Notice of Intent XXX Subsequent Report Final Abandonment Notice	Abandonment Recompletion Plugging Back Casing Repair Altering Casing XXXOther well name change	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
 Describe Proposed or Completed Operations (Clearly state al give subsurface locations and measured and true vertice) 	Il pertinent details, and give pertinent dates, including estimated date of startical depths for all markers and zones pertinent to this work.)*	ng any proposed work. If well is directionally drilled,

In an effort to bring all of the existing wells and the anticipated wells to be drilled into a uniform numbering system, based on 40 acre locations, each well name will be changed to consist of its section location followed by the correct number of its well spot, based upon 16 wells per section.

Petroglyph Operating Company, Inc. would like to notify by subsequent report that the above referenced well name has been changed to Ute Tribal 08-03. This will be effective January 1, 1996.

14. I hereby certify that the foregoing is true and correct Signed	Title	President	1/25/96 Date				
(This space for Federal or State office use)							
Approved by	Title		Date				

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

January 26, 1996

Ron Firth
State of Utah
Division of Oil, Gas & Mining
3 Triad Center, Suite 350
355 West North Temple
Salt Lake City, UT 84180-1203

RE: Well Name Change for Wells in the Antelope Creek Field, Duchesne County, UT

Mr. Firth:

In an effort to bring all of the existing wells and wells to be drilled into a uniform numbering system, based on 40 acre locations and 16 wells per section, each well name will be changed to consist of its section location followed by the correct number of its well spot.

Enclosed please find sundry notices changing the well name for all wells located in Antelope Creek. We are making this change effective January 1, 1996. Also enclosed for your convenience is a list consisting of the "old" well names and the "new" well names.

Your assistance during this time of transition is greatly appreciated. If you have any questions regarding the enclosed information, please do not hesitate to contact me at (316) 665-8500.

Sincerely.

Angela R. Ely

Administrative Operations Manager

ARE/ms

Enclosures

pc:

Dennis Ingram

Lisha Cordova

96WELLÇ.XLS

AgrmtNbt	LeaseNbr	LeaseName	Old	New	API	Footage	Field	T		
14-20-H62-4650	14-20-H62-3509	Ute Tribal	1-10	10-12	43-013-30805	2001 FSL & 600 FWL		Town	Range	Sec Otr
14-20-H62-4650	14-20-H62-3510	Ute Tribal	1-15	15-04	43-013-30880	907 FNL & 515 FWL	Antelope Creek	5S 5S	3W	10 NWSW
14-20-H62-4650	14-20-H62-3511	Ute Tribal	1-16	16-16	43-013-30804	505 FSL & 600 FEL	Antelope Creek		3W	15 NWNW
14-20-H62-4650	14-20-H62-4633	Ute Tribal	1-17	17-01	43-013-30790	638 FNL & 610 FEL	Antelope Creek	5S	3W	16 SESE
14-20-H62-4650	14-20-H62-3513	Ute Tribal	1-18	18-01	43-013-30761	550 FNL & 521 FEL	Antelope Creek	58	3W	17 NENE
14-20-H62-4650	14-20-H62-3514	Ute Tribal	1-19	19-16	43-013-30803	556 FSL & 603 FEL	Antelope Creek	58	3W	18 NENE
14-20-H62-4650	14-20-H62-3515	Ute Tribal	1-20	20-02	43-013-30764	404 FNL & 1539 FEL	Antelope Creek	5S	3W	19 SESE
14-20-H62-4650	14-20-H62-3516	Ute Tribal	1-21	21-13	43-013-30883		Antelope Creek	58	3W	20 NWNE
14-20-H62-4650	14-20-H62-3517	Ute Tribal	1-28	28-05	43-013-30802	611 FSL & 786 FWL	Antelope Creek	58	3W	21 SWSW
14-20-H62-4650	14-20-H62-3518	Ute Tribal	1-29 ini	29-09 inj	43-013-30763	2583 FNL & 712 FWL	Antelope Creek	58	3W	28 SWNW
14-20-H62-4650	14-20-H62-3502	Ute Tribal	1-3	03-13	43-013-30763	1324 FSL & 1160 FEL	Antelope Creek	5S	3W	29 NESE
14-20-H62-4650	14-20-H62-3519	Ute Tribal	1-30	30-07	43-013-30852	659 FSL & 659 FWL	Antelope Creek	58	3W	3 SWSW
14-20-H62-4650	14-20-H62-3520	Ute Tribal	1-31	31-02	43-013-30827	1980 FNL & 1980 FEL	Antelope Creek	58	3W	30 SWNE
14-20-H62-4650	14-20-H62-3521	Ute Tribal	1-32	32-08		519 FNL & 1942 FEL	Antelope Creek	58	3W	31 NWNE
14-20-H62-4650	14-20-H62-3522	Ute Tribal	1-33	33-04	43-013-30853	2100 FNL & 660 FEL	Antelope Creek	58	ЗW	32 SENE
14-20-H62-4650	14-20-H62-3503	Ute Tribal	1-4	04-01	43-013-30806	723 FNL & 802 FWL	Antelope Creek	58	3W	33 NWNW
14-20-H62-4650	14-20-H62-3504	Ute Tribal	1-5	05-07	43-013-30762	1331 FNL & 1277 FEL	Antelope Creek	58	3W	4 NENE
14-20-H62-4650	14-20-H62-3505	Ute Tribal	1-6	06-16	43-013-30785	2430 FNL & 1777 FEL	Antelope Creek	58	3W	5 SWNE
14-20-H62-4650	14-20-H62-3506	Ute Tribal	1-7	07-14	43-013-30793	833 FSL & 902 FEL	Antelope Creek	58	3W	6 SESE
14-20-H62-4650	14-20-H62-3507	Ute Tribal	1-8 ini	07-14 08-04 inj	43-013-30788	559 FSL & 1957 FWL	Antelope Creek	58	3W	7 SESW
14-20-H62-4650	14-20-H62-3504	Ute Tribal	11-5 inj		43-013-30759	754 FNL & 888 FWL	Antelope Creek	58	ЗW	8 NWNW
14-20-H62-4650	14-20-H62-3517	Ute Tribal	12-28	05-09 28-12	43-013-31468	2150 FSL & 639 FEL	Antelope Creek	58	3W	5 NESE
14-20-H62-4650	14-20-H62-3503	Ute Tribal	12-28		43-013-31529	1861 FSL & 496 FWL	Antelope Creek	58	3W	28 NWSW
14-20-H62-4650	14-20-H62-3504	Ute Tribal	12-4	04-12	43-013-31470	2000 FSL & 600 FWL	Antelope Creek	5S	3W	4 NWSW
14-20-H62-4650	14-20-H62-3507	Ute Tribal	13-8	05-11	43-013-31454	1856 FSL & 1457 FWL	Antelope Creek	58	3W	5 NESW
14-20-H62-4650	14-20-H62-3518	Ute Tribal	14-29	08-13	43-013-31468	660 FSL & 660 FWL	Antelope Creek	5S	3W	8 SWSW
14-20-H62-4650	14-20-H62-3504	Ute Tribal	14-29	29-10	43-013-31475	1955 FSL & 2125 FEL	Antelope Creek	5S	3W	29 NWSE
14-20-H62-4650	14-20-H62-3518	Ute Tribal	15-29	05-14	43-013-31455	590 FSL & 1984 FWL	Antelope Creek	58	3W	5 SESW
14-20-H62-4650	14-20-H62-3504	Ute Tribal		29-15	43-013-31530	649 FSL & 1831 FEL	Antelope Creek	58	3W	29 SWSE
14-20-H62-4650	14-20-H62-3504	Ute Tribal	15-5	05-15	43-013-31461	990 FSL & 1900 FEL	Antelope Creek	55	3W	5 SWSE
14-20-H62-4650	14-20-H62-3506	Ute Tribal	16-5	05-16	43-013-31527	708 FSL & 523 FEL	Antelope Creek	58	3W	5 SESE
14-20-H62-4650	14-20-H62-3507		16-7	07-16	43-013-31463	440 FSL & 410 FEL	Antelope Creek	58	3W	7 SESE
14-20-H62-4650	14-20-H62-3509	Ute Tribal	1A-8	08-01	43-013-31568	660 FSL & 660 FEL	Antelope Creek	58	3W	8 NENE
14-20-H62-4650	14-20-H62-3511	Ute Tribal	2-10	10-03	43-013-31187	600 FNL & 1650 FWL	Antelope Creek	58	3W	10 NENW
14-20-H62-4650	14-20-H62-3511	Ute Tribal	2-16	16-13	43-013-31166	750 FSL & 500 FWL	Antelope Creek	58	3W	16 SWSW
14-20-H62-4650	14-20-H62-3513	Ute Tribal	2-18	18-08	43-013-30881	1929 FNL & 612 FEL	Antelope Creek	5S	3W	18 SENE
14-20-H62-4650	14-20-H62-3515 14-20-H62-3518	Ute Tribal	2-20	20-07	43-013-30882	1980 FNL & 1980 FEL	Antelope Creek	5S	3W	20 SWNE
14-20-H62-4650		Ute Tribal	2-29	29-16	43-013-30849	500 FSL & 500 FEL	Antelope Creek	5S	3W	
14-20-H62-4650	14-20-H62-3502	Ute Tribal	2-3	03-14	43-013-31097	1050 FSL & 1980 FWL	Antelope Creek	55	3W	29 SESE
14-20-H62-4650	14-20-H62-3520	Ute Tribal	2-31	31-03	43-013-31188	442 FNL & 2338 FWL	Antelope Creek	55	3W	3 SESW
14-20-H62-4650	14-20-H62-3503	Ute Tribal	2-4 inj	04-07 inj	43-013-30879	2551 FNL & 1900 FEL	Antelope Creek	5S	3W	31 NENW
14-20-H62-4650	14-20-H62-3504	Ute Tribal	2-5	05-13	43-013-30824	723 FSL & 588 FWL	Antelope Creek	5S	3W	4 SWNE
		State	2-6	06-10	43-013-30891	2525 FSL & 1836 FEL	Antelope Creek			5 SWSW
14-20-H62-4650	14-20-H62-3506	Ute Tribal	2-7	07-01	43-013-30825	567 FNL & 706 FEL	Antelope Creek		3W	6 NW SE
14-20-H62-4650	14-20-H62-3507	Ute Tribal	2-8	08-05	43-013-30826	1980 FNL & 500 FWL			3W	7 NENE
14-20-H62-4650	14-20-H62-3508	Ute Tribal	2-9	09-01	430-13-30789	770 FNL & 1059 FEL	Antelope Creek		3W	8 SWNW
14-20-H62-4650	14-20-H62-3507	Ute Tribal	2A-8	08-02	43-013-31569	506 FNL & 1956 FEL	Antelope Creek		3W	9 NENE
14-20-H62-4650	14-20-H62-3513	Ute Tribal	3-18	18-03	43-013-31528	614 FNL & 1983 FWL	Antelope Creek		3W	8 NWNE
-				·	1.0 3.0 0.020	1014114F & 1203 FAAF	Antelope Creek	5\$	3W	18 NENW

Page 1
ae\data\opnw\ut\gen\TRANS.XLS
1/26/96 1:37 PM

96WELLC.XLS

AgrmtNbt	LeaseNbr	LeaseName	Old	New	API	Footage	·				
14-20-H62-4650	14-20-H62-3515	Ute Tribal	3-20	20-06	43-013-31175	2050 FNL & 1950 FWL	Field	Town	Range	Sec	Qti
14-20-H62-4650	14-20-H62-3518	Ute Tribal	3-29	29-06	43-013-30850	1900 FNL & 1980 FWL	Antelope Creek	58	3W		SENW
14-20-H62-4650	14-20-H62-3503	Ute Tribal	3-4	04-11	43-013-30878	1999 FSL & 1738 FWL	Antelope Creek	58	3W	29	SENW
14-20-H62-4650	14-20-H62-3504	Ute Tribal	3-5 E3 ini	05-10 inj	43-013-30938		Antelope Creek	58	3W	4 1	NESW
14-20-H62-4650	14-20-H62-3505	Ute Tribal	3-6	06-08	43-013-31189	2068 FSL & 2093 FEL	Antelope Creek	58	3W	5 1	NWSE
14-20-H62-4650	14-20-H62-3506	Ute Tribal	3-7	07-08	43-013-30828	2323 FNL & 691 FEL Lot # 9	Antelope Creek	58	3W	6 5	SENE
14-20-H62-4650	14-20-H62-3507	Ute Tribal	3-8	08-03	43-013-31101	1864 FNL & 972 FEL	Antelope Creek	58	3W	7 5	SENE
14-20-H62-4650	14-20-H62-4633	Ute Tribal	4-17	17-04	43-013-31464	505 FNL & 439 FWL	Antelope Creek	58	3W	8 1	NENW
14-20-H62-4650	14-20-H62-3513	Ute Tribal	4-18 ini	18-02 ini	43-013-31464	697 FNL & 636 FWL	Antelope Creek	5S	3W	17 [NWNW
14-20-H62-4650	14-20-H62-3518	Ute Tribal	4-29	29-04	43-013-31099	812 FNL & 1768 FEL	Antelope Creek	58	3W	18 1	NWNE
14-20-H62-4650	14-20-H62-3503	Ute Tribal	4-4	04-13	43-013-30848	660 FNL & 660 FWL	Antelope Creek	5S	3W	29 1	NWNV
14-20-H62-4650	14-20-H62-3504	Ute Tribal	4-5	05-08	43-013-30848	807 FSL & 886 FWL	Antelope Creek	58	3W	4 5	SWSW
14-20-H62-4650	14-20-H62-3507	Ute Tribal	4-8	08-12	43-013-31306	2500 FNL & 550 FEL	Antelope Creek	58	3W	5 5	SENE
14-20-H62-4650	14-20-H62-3508	Ute Tribal	4-9	09-15		2100 FSL & 515 FWL	Antelope Creek	58	3W	8 1	NWSW
14-20-H62-4650	14-20-H62-3503	Ute Tribal	4A-4	04-04	43-013-31165	550 FSL & 2000 FEL	Antelope Creek	58	зw	9 9	SWSE
14-20-H62-4650	14-20-H62-3513	Ute Tribal	5-18 ini	18-09 ini	43-013-31574	1205 FNL & 660 FWL Lot # 5	Antelope Creek	58	3W	41	NWNW
14-20-H62-4650	14-20-H62-3518	Ute Tribal	5-29 E3	29-07	43-013-31180	2151 FSL & 667 FEL	Antelope Creek	58	3W	18 1	NESE
14-20-H62-4650	14-20-H62-3503	Ute Tribal	5-4	04-05	43-013-30939	1969 FNL & 2093 FEL	Antelope Creek	58	зw	29 5	SWNE
14-20-H62-4650	14-20-H62-3507	Ute Tribal	5-8 ini	08-06 ini	43-013-31462	1969 FNL & 660 FWL Lot # 12	Antelope Creek	58	зw	4 5	SWNW
14-20-H62-4650	14-20-H62-3518	Ute Tribal	6-29	29-08A	43-013-31307	1550 FNL & 1550 FWL	Antelope Creek	58	3W	8 5	SENW
14-20-H62-4650	14-20-H62-3503	Ute Tribal	6-4	04-14	43-013-31305	2600 FNL & 600 FEL	Antelope Creek	5S	3W	29 8	SENE
14-20-H62-4650	14-20-H62-3503	Ute Tribal	6A-4	04-14	43-013-31100	660 FSL & 2000 FWL	Antelope Creek	58	3W	4 5	SESW
14-20-H62-4650	14-20-H62-3513	Ute Tribal	7-18	18-07	43-013-31526	2427 FNL & 2028 FWL Lot # 11	Antelope Creek	58	3W	4 5	SENW
14-20-H62-4650	14-20-H62-3518	Ute Tribal	7-10	29-08B	43-013-31533	2236 FNL & 1855 FEL	Antelope Creek	58	3W	18 S	SWNE
14-20-H62-4650	14-20-H62-3517	Ute Tribal	11-28	28-11	43-013-31339 43-013-31575	2675 FNL & 725 FEL	Antelope Creek	58	3W	29 N	NESE
14-20-H62-4650	14-20-H62-3513	Ute Tribal	10-18	18-10		2171 FSL & 2107 FWL	Antelope Creek	58	3W	28 N	NESE
14-20-H62-4650	14-20-H62-3517	Ute Tribal	13-28	28-13	43-013-31595	1954 FSL & 1894 FEL	Antelope Creek	5S	3W	18 N	NWSE
14-20-H62-4650	14-20-H62-3517	Ute Tribal	6-28	28-06	43-013-31576		Antelope Creek	58	3W	28 S	SWSW
14-20-H62-4650	14-20-H62-3521	Ute Tribal	1A-32		43-013-31594		Antelope Creek	58	3W		SENW
		TOTO TITUAL	11A-32	32-01	43-013-31577	759 FNL & 502 FEL	Antelope Creek	58	3W	32 N	

ae\data\opnw\ut\gen\TRANS.XLS 1/26/96 1:37 PM